

References

1. Vu TH, Tanji K, Holve SA. et al. Navajo neurohepatopathy: a mitochondrial DNA depletion syndrome? *Hepatology.* (2001);34:116–120.
2. Van Mil SWC, Klomp LW, Bull LN. et al. FIC1 Disease: A spectrum of intrahepatic cholestatic disorders. *Semin Liver Dis.* (2001);21:535–544.
3. Spinner NB, Colliton RP, Crosnier C. et al. Jagged1 mutations in Alagille syndrome. *Hum Mutat.* (2001); 17:18–33.
4. Eloranta MJ, Heinonen S, Mononen T. et al. Risk of obstetric cholestasis in sisters of index patients. *Clin Genet.* (2001); 60:42–45.
5. Zielenski J, Corey M, Rozmahel R. et al. Detection of a cystic fibrosis modifier locus for meconium ileus on human chromosome 19q13. *Nat Genet.* (1999); 22: 128–129.
6. Tsui LC, Buchwald M, Barker D. et al. Cystic fibrosis locus defined by a genetically linked polymorphic DNA marker. *Science.* (1985); 230: 1054–1057.
7. Wainwright BJ, Scambler PJ, Schmidtke J. et al. Localization of cystic fibrosis locus to human chromosome 7cen-q22. *Nature.* (1985);318:384–385.
8. Jiang Y, Matsuo T, Fujiwara H, Hasebe S, Ohtsuki H, Yasuda T. ARIX gene polymorphisms in patients with congenital superior oblique muscle palsy. *Br J Ophthalmol.* (2004 February); 88(2): 263–267.
9. Barthelmess A. Vererbungswissenschaft. Freiburg, Germany: Alber (1952).
10. Maupertuis PLM. Systeme de la Nature: Essai sur la Formation des Corps Organisés. Erlangen, Germany (1751).
11. Galton F. Pioneer of heredity and Biometrics, Baltimore, John Hopkins University Press (1869).
12. Mendel G, Corcos A.F., Monaghan F.V., Weber M.C. Gregor Mendel's Experiments on Plant Hybrids: A Guided Study. Rutgers University Press (1993).
13. Garrod AE. The incidence of Alkaptonuria: a study in chemical individuality. *Lancet.* (1902); 2:1616-1620.
14. Gossage, A. M. The Inheritance of Certain Human Abnormalities. *Quart. Med. Jour., Oxford .*(1907), i, 341.

15. Batten F.E., Mayou M.S. Family Cerebral Degeneration with Macular Changes. *Proc R Soc Med.* (1915); 8(Sect Ophthalmol): 70–90.
16. Bulloch W, Fildes P. Treasury of human inheritance, parts. V & VI, section XIVa, Haemophilia, 1911.
17. McKusick VA. The royal haemophilia. *Sci. Amer.* (1965); 213, 88.
18. Wallace DC, Singh G, Lott MT, Hodge JA, Schurr TG, Lezza AM, Elsas LJ, Nikoskelainen EK. Mitochondrial DNA mutation associated with Leber's hereditary optic neuropathy. *Science*, (1988); 242, pp. 1427–1430.
19. Carelli V., Achilli A., Valentino M.L., Rengo C., Semino O., Pala M., Olivieri A., Mattiazzi M., Pallotti F., Carrara F., Zeviani M., Leuzzi V., Carducci C., Valle G., Simionati B., Mendieta L., Salomao S., Belfort R., Sadun A.A., Torroni A. Haplogroup Effects and Recombination of Mitochondrial DNA: Novel Clues from the Analysis of Leber Hereditary Optic Neuropathy Pedigrees. *Am J Hum Genet.* (2006 April); 78(4): 564–574.
20. Morton N.E., Chung C.S. A Science that deals with the etiology, distribution, and control of disease in groups of relatives, and with inherited causes of disease in populations (1978).
21. Risch N. Linkage strategies for genetically complex traits. I. Multilocus models. *Am J Hum Genet.* 1990 Feb; 46(2):222-8.
22. Khoury MJ, Beaty TH, Liang KY. Can familial aggregation of disease be explained by familial aggregation of environmental risk factors? *Am J Epidemiol.* (1988 March); 127(3):674-83.
23. Gong G, Kosoko-Lasaki S, Haynatzki G, Lynch HT, Lynch JA, Wilson MR, Inherited, familial and sporadic primary open-angle glaucoma. *J Natl Med Assoc.* (2007 May); 99(5): 559–563.
24. Virkud YV, Todd RD, Abbacchi AM, Zhang Y, Constantino JN, Familial Aggregation of Quantitative Autistic Traits in Multiplex versus Simplex Autism, *Am J Med Genet B Neuropsychiatr Genet.* (2009 April 5); 150B(3): 328–334.
25. Niittymäki I, Kaasinen E, Tuupanen S, Karhu A, Järvinen H, Mecklin JP, Tomlinson IPM, Bernardo MCD, Houlston RS, Aaltonen LA. Low-Penetrance Susceptibility Variants in Familial Colorectal Cancer. *Cancer Epidemiol Biomarkers Prev.* (2010 June); 19(6): 1478–1483.

- 26.** Bishop DV, Edmundson A., Is otitis media a major cause of specific developmental language disorders? *Br J Disord Commun.* (1986 December); 21(3):321-38.
- 27.** Lahey M, Edwards J. Specific language impairment: preliminary investigation of factors associated with family history and with patterns of language performance. *J Speech Hear Res.* (1995 June); 38(3):643-57.
- 28.** Choudhury N ,Banasich AA. A Family Aggregation Study: The Influence of Family History and Other Risk Factors on Language Development. *J Speech Lang Hear Res.* (2003 April); 46(2): 261–272.
- 29.** Ebers GC, Sadovnick AD, Dyment DA, Yee IM, Willer CJ, Risch N. Parent-of-origin effect in multiple sclerosis: observations in half-siblings. *Lancet.* (2004 May 29); 363(9423):1773-4.
- 30.** Morton NE, Yee S, Lew R. Complex segregation analysis. *Am J Hum Genet.* (1971 Nov);23(6):602-11.
- 31.** Maroteaux P. La metachondromatose. *Z. Kinderheilk.* 109: 246-261, 1971.
- 32.** Kramer PL, LaMorticella D, Schilling K, Billingslea AM, Weleber RG, Litt M. A new locus for autosomal dominant congenital cataracts maps to chromosome 3. *Invest. Ophthal. Vis. Sci.* (2000);41: 36-39.
- 33.** Amir RE, Van den Veyver IB, Wan M, Tran CQ, Francke U, Zoghbi HY. Rett syndrome is caused by mutations in X-linked MECP2, encoding methyl-CpG-binding protein 2. *Nature Genet.*(1999); 23: 185-188.
- 34.** Monroe KR, Yu MC, Kolonel LN, Coetzee GA, Wilkens LR, Ross RK, Henderson BE. Evidence of an X-linked or recessive genetic component to prostate cancer risk. *Nat Med.* (1995 Aug);1(8):827-9.
- 35.** Crow TJ, Delisi LE, Lofthouse R, Poulter M, Lehner T, Bass N, Shah T, Walsh C, Boccio-Smith A, Shields G, et al. An examination of linkage of schizophrenia and schizoaffective disorder to the pseudoautosomal region (Xp22.3). *Br J Psychiatry.* (1994 Feb);164(2):159-64.
- 36.** Giles RE, Blanc H, Cann HM, Wallace DC. Maternal inheritance of human mitochondrial DNA. *Proc Natl Acad Sci USA* (1980);77:6715–6719.
- 37.** Wallace DC. Mitochondrial DNA sequence variation in human evolution and disease. *Proc. Natl Acad. Sci. USA.* (1994);91:8739–8746.

- 38.** Sedlmeyer I, Hirschhorn JN, Palmert MR. Pedigree Analysis of Constitutional Delay of Growth and Maturation: Determination of Familial Aggregation and Inheritance Patterns; *The Journal of Clinical Endocrinology & Metabolism* (2002) ;87(12):5581–5586.
- 39.** Zachara E, Caforio ALP, Carboni GP, Pellegini A, Pompili A, Del Porto G, Sciarra A, Bosman C, Boldrini R, Prati PL, McKenna WJ; Familial aggregation of idiopathic dilated cardiomyopathy: clinical features and pedigree analysis in 14 families; *Br Heart J* (1993);69: 129-135.
- 40.** Watson CJ, Gaunt L, Evans G, Patel K, Harris R, Strachan T. A disease-associated germline deletion maps the type 2 neurofibromatosis (NF2) gene between the Ewing sarcoma region and the leukaemia inhibitory factor locus. *Hum. Mol. Genet.* (1993); 2:701–704.
- 41.** Robson KJH, Chandra T, MacGillivray RTA, Woo S L C. Polysome immunoprecipitation of phenylalanine hydroxylase mRNA from rat liver and cloning of its cDNA. *Proc. Natl Acad. Sci. USA.* (1982); 79:4701–4705.
- 42.** Estivill X, Farrall M, Scambler PJ, Bell GM, Hawley KMF, Lench NJ, Bates GP, Kruyer H C., Frederick, P. A., Stanier, P., Watson, E. K., Williamson, R., Wainwright, B. J. A candidate for the cystic fibrosis locus isolated by selection for methylation-free islands. *Nature* (1987) 326: 840-845.
- 43.** Schalling M, Hudson TJ, Buetow KH, Housman DE. Direct detection of novel expanded tri-nucleotide repeats in the human genome. *Nature Genet.* (1993); 4:135–139.
- 44.** Koob MD, Moseley ML, Schut LJ. Untranslated CTG expansion causes a novel form of spinocerebellar ataxia (SCA8). *Nature Genet.* (1999); 21: 379–384.
- 45.** Collins FS. Positional cloning moves from the perditional to the traditional. *Nature Genet.* (1995); 9:347–350.
- 46.** 12. Fisher RA: The use of simultaneous estimation in the evaluation of linkage. *Ann Eugen (Lond)* (1934); 6:71-76.
- 47.** Finney DJ. The detection of linkage. *Ann Eugen (Lond)* (1940);10: 171-214.
- 48.** Haldane JBS, Smith CAB: A new estimate of the linkage between the genes for haemophilia and colour-blindness in man. *Ann Eugen (Lond)* (1947);14:10-31.
- 49.** Smith CAB: The detection of linkage in human genetics. *J R Stat Soc B* (1953)15:153-184.

- 50.** Morton NE: Sequential tests for the detection of linkage. *Am J Hum Genet* (1955) 7:277-318.
- 51.** Rodríguez-Larralde A, Paradisi I, Influence of genetic factors on human sexual orientation. Review; *Invest Clin.* (2009 September);50(3):377-91.
- 52.** Gong G, Kosoko-Lasaki S, Haynatzki G, Lynch HT, Lynch JA, Wilson MR, Inherited, familial and sporadic primary open-angle glaucoma. *J Natl Med Assoc.* (2007 May); 99(5): 559–563.
- 53.** Virkud YV, Todd RD, Abbacchi AM, Zhang Y, Constantino JN, Familial Aggregation of Quantitative Autistic Traits in Multiplex versus Simplex Autism, *Am J Med Genet B Neuropsychiatr Genet.* (2009 April 5); 150B(3): 328–334.
- 54.** Niittymäki I, Kaasinen E, Tuupanen S, Karhu A, Järvinen H, Mecklin JP, Tomlinson IPM, Bernardo MCD, Houlston RS, Aaltonen LA, Low-Penetrance Susceptibility Variants in Familial Colorectal Cancer, *Cancer Epidemiol Biomarkers Prev.* (2010 June); 19(6): 1478–1483.
- 55.** Salipante SJ, Mealiffe ME, Wechsler J, Krem MM, Liu Y, Namkoong S, Bhagat G, Kirchhoff T, Offit K, Lynch H, Wiernik PH, Roshal M, McMaster ML, Tucker M, Fromm JR, Goldin LR, Horwitz MS. Mutations in a gene encoding a mid-body kelch protein in familial and sporadic classical Hodgkin lymphoma lead to binucleated cells. *Proc Natl Acad Sci U S A.* (2009 September 1); 106(35): 14920–14925.
- 56.** Hopper JL, Carlin JB. Familial aggregation of a disease consequent upon correlation between relatives in risk factors measured in continuous scale. *American Journal of Epidemiology* (1992), 136(9), 11381147.
- 57.** Yu, Z., Nissinen, A., Vartianen, E., Song, G., Guo, Z. and Tians, H. Changes cardiovascular risk factors in different socioeconomic groups: Seven years trends in Chinese Urban population. *Journal of Epidemiology and Community Health* (2000), 54(9), 692696.
- 58.** Lasser U, Breckenkamp J. Trends in risk factors control in Germany 19841998: High blood pressure and total cholesterol. *European Journal of Public Health* (2005), 16(2), 217222.
- 59.** Roitt IM, Doniach D, Shapland C. Autoimmunity in pernicious anemia and atrophic gastritis. *Ann N Y Acad Sci.* (1965 June 30);124(2):644–656.

- 60.** Gordon D, Finch S, J. Factors affecting statistical power in the detection of genetic association. *J Clin Invest.* (2005);115(6):1408–1418.
- 61.** Povey S, Lovering R, Bruford E, Wright M, Lush M and Wain HM.: The HUGO Gene Nomenclature Committee (HGNC). *Hum Genet.* 2001 Dec;109(6):678-80.