

REFERENCES

- [1] IAPR International Association for Pattern Recognition, Newsletter, Volume 25 Number 1, winter 2003.
- [2] Jonathon Shlens ‘A Tutorial on Principal Component Analysis’, Center for Neural Science, New York University New York City, NY 10003-6603 and Systems Neurobiology Laboratory, Salk Institute for Biological Studies La Jolla, CA 92037, April 22, 2009; Version 3.01
- [3] Lawrence R Rabiner, ‘A Tutorial on Hidden Markov Models and Selected Applications in Speech Processing’, IEEE, 1989
- [4] David A. Ross · Jongwoo Lim · Rwei-Sung Lin · Ming-Hsuan Yang (2008) . Incremental Learning for Robust *Visual Tracking* . *Int J Comput Vis* (pp 125–141) .
- [5] Jing Wen. Xinbo Gao, Xuelong Li, Dacheng Tao, ‘ Incremental Learning of Weighted Tensor Subspace for Visual Tracking’, IEEE International Conference on Systems, Man, and Cybernetics San Antonio, TX, USA, October 2009
- [6] Weiming Hu · Xi Li · Xiaoqin Zhang · Xinchu Shi · Stephen Maybank · Zhongfei Zhang (2011). Incremental Tensor Subspace Learning and Its Applications to Foreground Segmentation and Tracking. *Int J Comput Vis* (pp 303–327) .
- [7] Christopher Richard WREN, All AZARBAYEJANI, Trevor DARRELL, et al. Pfunder: real-time tracking of the human body. IEEE Transactions on Pattern Analysis and Machine Intelligence, 1997, 19(7), pp.780-785
- [8] Chris STAUFFER, W. E. L. GRIMSON. Adaptive background mixture models for real-time tracking. Computer Vision and Pattern Recognition, 1999, pp.245-252.
- [9] Y. Sheikh, and M. Shah, “Bayesian Object Detection in Dynamic Scenes,” in *Proc. CVPR’05*, Vol. 1, pp.74-79, 2005.

REFERENCES

- [10] Gong Minglun. Cheng Li. Foreground Segmentation of Live Videos using Locally Competing 1SVMs. *IEEE conference on computer vision and pattern recognition*
- [11] Ye-peng Guan, Robust video foreground segmentation and face recognition, Journal of Shanghai University (English Edition) Volume 13, Number 4 (2009), 311-315, DOI: 10.1007/s11741-009-0412-1
- [12] Patrick Dickinson. Andrew Hunter. Kofi Appiah (21 August 2008). A Spatially Distributed Model for Foreground Segmentation. *Elsevier*.
- [13] Jong-Eun Ha and Wang-Heon Lee, "Foreground objects detection using multiple difference images", *Opt. Eng.* 49, 047201 (Apr 01, 2010)
- [14] Rui Caseiro, Joao F. Henriques and Jorge Batista (2010), Foreground Segmentation via Background Modeling on Riemannian Manifolds. *IEEE DOI 10.1109/ICPR.2010.871* (pp 3570-3574)
- [15] Y. Li, "On Incremental and Robust Subspace Learning," *Pattern Recognition*, Vol. 37, Iss. 7, pp.1509-1518, 2004.
- [16] David A. Ross · Jongwoo Lim · Rwei-Sung Lin · Ming-Hsuan Yang (2008). Incremental Learning for Robust *Visual Tracking*. *Int J Comput Vis* (pp 125–141) .
- [17] Allan D. Jepson, David J. Fleet and Thomas F. El-Maraghi (2003). Robust Online Appearance Models for Visual Tracking?. *IEEE*
- [18] S Gu . Y Zheng . C Tomasi(2011). Efficient visual object tracking with online nearest neighbor classifier. *Computer Vision–ACCV 2010*, (pp 271-282)
- [19] David S. Bolme, ' Visual object tracking using adaptive correlation filters', *Computer Vision and Pattern Recognition (CVPR)*, 2010 IEEE Conference

REFERENCES

- [20] P. Barrera, Jose Maria Canas, Vicente Matellan, ' Visual Object Tracking in 3D with Color Based Particle Filter, WEC (2), 2005
- [21] Zhenjun Han a, JianbinJiao a,n, BaochangZhang b, QixiangYe a, JianzhuangLiu,' Visual objecttrackingviasample-based Adaptive SparseRepresentation(AdaSR)',2011, ELSEVIER, Pattern Recognition44 (2011) 2170-2183
- [22] Datla,S., Agarwal,A., Niyogi, R, and Tyagi,B., A novel framework for real time object tracking systems. International Journal of Video & Image processing and Network Security, vol 10, no 2, pp.27-32, 2010.
- [23] Zulfiqar Hassan Khan, Irene Yu-Hua Gu, Andrew G. Backhouse: A Robust Particle Filter-Based Method for Tracking Single Visual Object Through Complex Scenes Using Dynamical Object Shape and Appearance Similarity. Signal Processing Systems 65(1): 63-79 (2011)
- [24] *Tang, Feng; Lim, Suk Hwan; Chang, Nelson L.*, ' A Novel Feature Descriptor Invariant to Complex Brightness Changes', IEEE Conference on Computer Vision and Pattern Recognition, June 2009
- [25] Qiang Chen .' Two-Stage Object Tracking Method Based on Kernel and Active Contour ,Circuits and Systems for Video Technology, IEEE Transactions , 20 , Issue: 4 , 605 – 609, April 2010
- [26] Takashi Matsuyama,' Real-time cooperative multi-target tracking by communicating activevisionagents, ELSEVIER, July 2004
- [27] Amer, A.,' Voting-based simultaneous tracking of multiple video objects', Circuits and Systems for Video Technology, IEEE Transactions, 15, Issue: 11 , 1448 - 1462

REFERENCES

- [28] Hariharakrishnan, K. , ' Fast object tracking using adaptive block matching', *Multimedia, IEEE Transactions on*, 7 , Issue: 5 ,853 - 859
- [29] Michael D. Breitenstein . Fabian Reichlin . Bastian Leibe . Esther Koller-Meier. Luc Van Gool (Sept. 2011) . Online Multiperson Tracking –by- Detection from a single, Uncalibrated Camera. *IEEE Transactions on Pattern Analysis and Machine Intelligence Vol.23, No. 9*
- [30] Ba-Ngu Vo , ' Joint Detection and Estimation of Multiple Objects From Image Observations, *Signal Processing, IEEE Transactions on*, 58 , Issue: 10 , 5129 – 5141
- [31] Junlian,' Inferring tracklets for multi-object tracking, *Computer Vision and Pattern Recognition Workshops (CVPRW), 2011 IEEE Computer Society Conference*, 37 – 44
- [32] Yan-Chen Lu,Sheng-Yan Yang and Der-Chun Cherng (2011).Background subtraction based segmentation using object motion feedback. *First International Conference on Robot,Vision and Signal Processing* (pp. 224-227).
- [33] R. Kapoor A .Dhamija(July 2011). Fast tracking algorithm using modified potential function. *IET Comput. Vis.* (pp 1-10)
- [34] Junliang Xing,Haizhou Ai,Liwei Liu, Shihong Lao (June 2011). Multiple Player Tracking in sports Vudeo: A Dual-Mode Two –way Bayesian Inference Approach with Progressive Observation Modelling . *IEEE Transactions on Image Processing Vol.20, No.6*,
- [35] Xiaojun Wu . Jia Chen . Michael Yu Wang, . Xiongwei Wang (2011). Shape Prior Based Foreground Segmentation with Local Rotation and Structural Changes. *9th IEEE International Conference on Control and Automation (ICCA)*.

REFERENCES

- [36] Jie Shao. Zhen Jia. Zhipeng Li . Fuqiang Liu. , Jianwei Zhao. Pei-Yuan Peng (2011) . Spatiotemporal Energy Modeling for Foreground Segmentation in Multiple Object Tracking. *IEEE International Conference on Robotics and Automation* (pp 3875-3880)
- [37] Jing-Ming Guo. Hoang-Son Nguyen (2011) . Hybrid Hand Tracking System. *18th IEEE International Conference on Image Processing* (pp 549-552)
- [38] Michael D. Breitenstein . Fabian Reichlin . Bastian Leibe . Esther Koller-Meier . Luc Van Gool (Sept. 2011). Online Multiperson Tracking –by- Detection from a single, Uncalibrated Camera. *IEEE Transactions on Pattern Analysis and Machine Intelligence Vol.23, No.9*
- [39] Pan Pan . Dan Schonfeld (JANUARY 2011). Visual Tracking Using High-Order Particle Filtering. *IEEE SIGNAL PROCESSING LETTERS, VOL. 18, NO. 1.* (pp 51- 54) .
- [40] Fuat Cogun and A. Enis Cetin (2010) . Object Tracking under Illumination Variations using 2D-Cepstrum Characteristics of the Target . *IEEE* (pp 521-526) .
- [41] Min Wang, Hong Qiao and Bo Zhang (DECEMBER 2011). A New Algorithm for Robust Pedestrian Tracking Based on Manifold Learning and Feature Selection. *IEEE transactions on intelligent transportation systems, VOL. 12, NO. 4,*(pp 1195-1208)
- [42] Vikas Reddy. Conrad Sanderson. Andres Sanin, and Brian C. Lovell (2011). MRF-Based Background Initialisation for Improved Foreground Detection in Cluttered Surveillance Videos.. *Springer-Verlag Berlin Heidelberg* (pp. 547–559)
- [43] Jianwei Ding, Min Li, Kaiqi Huang, and Tieniu Tan (2011). Modeling Complex Scenes for Accurate Moving Objects Segmentation . *Springer-Verlag Berlin Heidelberg* (pp. 82–94)
- [44] T. Bouwmans, ' Subspace Learning for Background Modeling: A Survey', "Recent Patent on Computer Science 2, 3 (2009) 223-234

REFERENCES

- [45] Kim H. Sakamoto R. Kitahara I. Toriyama T. Kogure K. (July 2007). Robust silhouette extraction technique using background subtraction. *10th Meeting on Image Recognition and Understand, MIRU 2007*, Hiroshima, Japan, July 2007.
- [46] Allili M . Bouguila N. Ziou D. (2007)A robust video foreground segmentation by using generalized Gaussian mixture modelling. *Fourth Canadian Conf on computer and robot vision, CRV 2007*: (pp 503-509).
- [47] Elgammal A. Harwood D. Davis L.(2000) Non-parametric model for background subtraction. *6th European Conf on Computer Vision, ECCV 2000*, Dublin, Ireland, June 2000.(pp751-767)
- [48] Lin H. Liu T, Chuang J. A probabilistic SVM approach for background scene initialization. *ICIP 2002*; 3: (pp 893-896).
- [49] Wang, Y., Loe, K., & Wu, J. (2006). A dynamic conditional random field model for foreground and shadow segmentation. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 28(2), 279–289.
- [50] Tavakkoli A, Nicolescu M, Bebis G. A novelty detection approach for foreground region detection in videos with quasi-stationary backgrounds *ISVC 2006*, pages 40-49, Lake Tahoe, USA, November 2006.
- [51] Yamazaki M, Xu G, Chen Y. Detection of moving objects by independent component analysis. *ACCV 2006*; 467-478.
- [52] Tsai D, Lai C. Independent component analysis-based background subtraction for indoor surveillance. *IEEE Trans Image Proc IP 2009*, Volume 18, Issue 1, pages 158-167, January 2009

REFERENCES

- [53] Bucak S, Günsel B, Gursoy O. Incremental non-negative matrix factorization for dynamic background modelling. *Inter Workshop on Pattern Recog in Information Sys*, Funchal, Portugal, June 2007.
- [54] Li X, Hu W, Zhang Z, Zhang X. Robust foreground segmentation based on two effective background models MIR 2008: 223-228, Vancouver, Canada, October 2008.
- [56] Jimeng Sun, Dacheng Tao, Christos Faloutsos, 'Beyond Streams and Graphs: Dynamic Tensor Analysis', ACM 1595933395/ 06/0008
- [57] LIEVEN DE , BART DE MOOR, AND JOOS VANDEWALLE, 'A MULTILINEAR SINGULAR VALUE DECOMPOSITION, 2000 Society for Industrial and Applied Mathematics'
- [58] Li X, Hu W, Zhang Z, Zhang X. Robust foreground segmentation based on two effective background models MIR 2008: 223-228, Vancouver, Canada, October 2008.
- [59] Levy, A., & Lindenbaum, M. (2000). Sequential Karhunen-Loeve basis extraction and its application to images. *IEEE Transactions on Image Processing*, 9, 1371–1374.
- [60] Y. Sheikh, and M. Shah, "Bayesian Object Detection in Dynamic Scenes," in *Proc. CVPR'05*, Vol. 1, pp.74-79, 2005.
- [61] R.E. Kalman. A new approach to linear filtering and prediction problems. *Trans. of the ASME - Journal of Basic Engineering*, 82:35 – 45, 1960
- [62] Christopher Rasmussen and Gregory D. Hager. Probabilistic data association methods for tracking complex visual objects. *IEEE Trans. Pattern Anal. Machine Intell.*, 23(6):560–576, June 2001
- [63] Donald B. Reid. An algorithm for tracking multiple targets. *IEEE Trans. Automat. Contr.*, 24(6):843 – 854, December 1979
Donald B. Reid. An algorithm for tracking multiple targets. *IEEE Trans. Automat. Contr.*, 24(6):843 – 854, December 1979

REFERENCES

- [64] Michael Isard and Andrew Blake. Contour tracking by stochastic propagation of conditional density. In European Conf. on Computer Vision (ECCV'96), pages 343–356, Cambridge, UK, April 1996
- [65] Michael Isard and Andrew Blake. CONDENSATION - conditional density propagation for visual tracking. *Int'l Journal of Computer Vision (IJCV)*, 29(1):5–28, May 1998.
- [66] Jeffrey Ho, Kuang-Chih Lee, Ming-Hsuan Yang, and David J. Kriegman. Visual tracking using learned linear subspace. In *IEEE Conf. on Computer Vision and Pattern Recognition (CVPR'04)*, volume 1, pages 782–789, Washington, DC, June 27 - July 2, 2004.
- [67] Dorin Comaniciu, Visvanathan Ramesh, and Peter Meer. Real-time tracking of non-rigid objects using mean shift. In *IEEE Conf. on Computer Vision and Pattern Recognition (CVPR'00)*, volume 2, pages 142–149, Hilton Head Island, South Carolina, June 13-15, 2000.
- [68] Gang Hua and YingWu. Sequential mean field variational analysis of structured deformable shapes. *Computer Vision and Image Understanding*, 101(2):87– 99, February 2004.
- [69] Shai Avidan. Support vector tracking. *IEEE Trans. Pattern Anal. Machine Intell.*, 26:1064 – 1072, aug 2004.
- [70] Oliver Williams, Andrew Blake, and Roberto Cipolla. Sparse bayesian learning for efficient visual tracking. *IEEE Trans. Pattern Anal. Machine Intell.*, 27(8):1292 – 1304, August 2005
- [71] Kenji Okuma, Ali Taleghani, Nando De Freitas, James J. Little, and David G. Lowe. A boosted particle filter: Multitarget detection and tracking. In *European Conf. on Computer Vision (ECCV'04)*, volume 1, pages 28 – 39, Prague, Czech Republic, May 2004.
- [72] Alper Yilmaz, Mubarak Shah, ' Object Tracking: A Survey', *ACM Computing Surveys*, Vol. 38, No. 4, Article 13, Publication date: December 2006.

REFERENCES

[73] Oliver N, Rosario B, Pentland A. A bayesian computer vision system for modeling human interactions. *Inter Conf on Vision Systems, ICVS 1999*, pages 255-272, Gran Canaria, Spain, January 1999.

[74] Gary Bradski and Adrian Kaehler, 'Learning OpenCV' ORielly

[75] M.Black, A.Jepson, Eigenttracking: robust matching and tracking of articulated objects using a view-based representation, INTERNATIONAL JOURNAL OF COMPUTER