THE IMPACT OF CIRCULAR ECONOMY ON GHG EMISSIONS AND GDP IN INDIA

Thesis Submitted

in Partial Fulfillment of the Requirements for the

Degree of

Master of Arts

in

Economics

by

Vishal Chadha

(Roll No - 2K23/MAE/38)

Under the Supervision of

Dr. VANDITA SAHAY

Assistant Professor (Guest), Delhi Technological University



Department of USME

DELHI TECHNOLOGICAL UNIVERSITY

(Formerly Delhi College of Engineering)

Shahbad Daulatpur, Main Bawana Road, Delhi-110042, India June, 2025

ACKNOWLEDGEMENTS

I would like to express my sincere gratitude to all those who have supported me throughout the course of my dissertation titled "The Impact of Circular economy on GHG Emissions and GDP of India."

First and foremost, I am deeply thankful to my supervisor, **Dr. Vandita Sahay**, for her invaluable guidance, constant encouragement, and insightful feedback. Her expertise and mentorship played a vital role in shaping this research.

I would also like to extend my gratitude to the **faculty members of the Department of USME East Campus**, **Delhi Technological University**, for providing the academic foundation and research environment that enabled me to undertake this work.

Special thanks to the **United Nation Environment Program, International Resource Panel**, **Ellen MacArthur Foundation**, and other institutions whose publications and reports were instrumental in supporting the analytical framework of this study. I am also grateful to for making publicly available sustainability and circular gap reports for India, which enriched the quantitative study analysis.

To my **family and friends**, I owe heartfelt appreciation for their unwavering support, patience, and motivation during this journey. Their belief in me gave me strength in moments of self-doubt.

Lastly, I express gratitude to **Almighty God** for granting me the perseverance and clarity of thought to complete this dissertation.

Thank you all.

Vishal Chadha June, 2025



DELHI TECHNOLOGICAL UNIVERSITY

(Formerly Delhi College of Engineering)
Shahbad Daulatpur, Main Bawana Road, Delhi-110042, India

CANDIDATE'S DECLARATION

I, <u>Vishal Chadha</u> hereby certify that the work is being presented in the thesis entitled <u>The Impact of Circular Economy on GHG Emissions and GDP of India</u> in partial fulfillment of the requirements for the award of the Degree of Doctors of Philosophy, submitted in the Department of <u>USME</u>, <u>Delhi Technological</u> <u>University</u> is an authentic record of my work carried out during the period from <u>June</u> <u>2024 to June 2025</u> under the supervision of <u>Dr. VANDITA SAHAY</u>.

The matter presented in the thesis has not been submitted by me for the award of any other degree of this or any other institute.

Candidate's Signature

This is to certify that the student has incorporated all the corrections suggested by the examiners in the thesis, and the statement made by the candidate is correct to the best of our knowledge.



DELHI TECHNOLOGICAL UNIVERSITY

(Formerly Delhi College of Engineering)
Shahbad Daulatpur, Main Bawana Road, Delhi-110042, India

CERTIFICATE BY SUPERVISOR(s)

Certified that <u>Vishal Chadha (23/MAE/38)</u> has carried to out their search work presented in this thesis entitled <u>"The Impact of Circular Economy on GHG Emissions and GDP of India"</u> for the award of <u>Master of Arts in Economics</u> from the Department of USME, Delhi Technological University, Delhi, under my supervision.

The thesis embodies results of original work, and studies are carried out by the student himself and the content of the thesis do not form the basis for the award of any other degree to the candidate or to anybody else from this or any other University/Institution.

Signature

Dr. Vandita Sahay

Assistant Professor(Guest)

USME, Delhi Technological University, East Campus, Shahdara, New Delhi -110095

Date:

Abstract

India's transition towards circular economy is pivotal in achieving sustainable development goals-12, decent economic growth and reducing greenhouse gas emissions. This study investigates the role of circular economy in facilitating responsible behavior towards consumption and production, managing and reducing all types of waste generations in rural and urban area in India, focusing on its integration into industrial processes and the broader economic and environmental impacts. The research explores the future aspects of GHG and GDP after including circular practices in the industries through implication of policies such as extended producer responsibility(EPR). The study analyzes data from the UNEP-International Resource Panel, and World Bank. The dissertation reveals the importance of combining circularity in the major industries to increase the productivity and increase the material efficiency. The concept of a circular economy, which emphasizes waste prevention, product life extension, resource recovery, and closed-loop systems, offers a transformative approach to decouple economic growth from resource consumption and environmental harm. The findings underscore the importance of supportive policies, investment incentives, and technological innovations in scaling circular economic model adoption. The forecasted GHG and GDP for 2070 is 14391 MtCO₂e and Rs. 3,020 lakh crore respectively after taking DMC at 2% annual growth rate, Co2 from waste at 3% and Material Productivity at 3% based on historical trend. But after taking these independent variables at different annual growth assuming circularity in India we have different forecasted values of GHG (9930 MtCO₂e) and GDP (3050 lakh crore) then before, indicating circular economy has positive impact on both dependent variables.

Keywords: Circular economy, Domestic Material Consumption, Material Productivity, Gross Domestic Product, Green House Gas emissions, and Decoupling.

TABLE OF CONTENTS	Page No
Title of the thesis	1
Acknowledgements	2
Candidate's Declaration	3
Certificate by Supervisor	4
Abstract	5
Table of Content	6
List of Tables and Figures	7
Introduction	8-11
Literature Review	12-16
Gaps in Literature	17
Research Objectives	18
Data and Methodology	19-33
Hypothesis Testing	34 -37
Result (Answer to the Research Questions)	38
Conclusion	39
Policy Suggestion	40-41
References	42-44
Plagiarism Verification Report	45
Certification of Final Thesis Submission	46
Certification of Final Thesis Submission for evaluation	47
Similarity Report	48-53

List of Tables

- **Table 1**: Details of the variables.
- **Table 2:** Key Highlights from forecasted values of variables before circularity.
- **Table 3:** Key highlights from forecasted values of variables after circularity.
- **Table 4:** Elasticities of GHG over GDP on BAU.
- **Table 5:** Elasticities of GHG over GDP after circularity.

List of Figures

- Figure 1: Trend of raw material consumption.
- **Figure 2:** Trend of domestic GHG emissions.
- Figure 3: Trend of CO2 from waste collection, treatment, and disposal.
- Figure 4: Trend and classification of GHG emissions from consumption.
- Figure 5: Trend and classification of GHG emissions from domestic production.
- Figure 6: Elasticity of GHG over GDP as per 2023.
- Figure 7: Descriptive Analysis of all variables.
- **Figure 8**: Output of stationary test of all variables.
- **Figure 9**: ARIMAX model, arima d_ghg d_dmc d_Co2waste epr_policy if year <= 2023, arima(0,0,1).
- Figure 10: Output of ARIMAX model of GDP based on material productivity.
- Figure 11: Forecasted value of GHG(Left) and GDP(Right) before circularity.
- Figure 12: Forecasted value of GHG(Left) and GDP(Right) after circularity.
- Figure 13: Trend of GHG based on independent variables.
- **Figure 14:** Normality Graph.
- **Figure 15:** Autocorrelation of residuals.

Introduction

As we are moving to 2030, many sustainable development goals are yet to complete to make India stand out in the global environment advocacy. Since many years we are observing the repercussions of uncontrollable and anthropogenic overconsumption and production in developing and developed countries. These overconsumptions and productions lead to environmental degradation such as careless management of waste, climate change, air pollution, contamination of water resources, loss of biodiversity, existence of wildlife and land use etc.

Human life and economic activities are fundamentally dependent on the natural environment, which provides essential resources for survival and growth. At the same time, these activities continually influence and modify the environment, and cannot be fully understood without considering their connection to natural systems. One of the most significant consequences of human actions is climate change, primarily driven by activities such as the burning of fossil fuels, industrial operations, and waste production. These processes have led to an increased concentration of greenhouse gases like carbon dioxide (CO₂) and methane (CH₄) in the atmosphere, intensifying the greenhouse effect and contributing to rising global temperatures and environmental instability (M. Balasubramanian et al., 2012). Anthropogenic activities have intensified the concentration of greenhouse gases in the atmosphere, resulting in a rise in the Earth's average temperature (Sridevi et al.,2014). Consumption of unnecessary goods and services by human is the main source of greenhouse gases.

As of now, just 55% of the world's greenhouse gas-emitting nations have declared concrete goals for enhancing carbon emission reductions by 2030, while the majority of countries maintain their net-zero emission commitments for the period between 2050 and 2070. (Chen et al. 2022). At the same time, developing nations continue to rely heavily on fossil fuel-based energy systems, where significant consumption of coal and oil in industrial and transport sectors exacerbates climate change and environmental degradation (Su and Urban 2021). Furthermore, with the continuous growth of the world population and improvements in living standards, the rise of manufacturing automation and AI has driven mass production and consumption. This, in turn, has create to a substantial rise in solid waste generation. The escalating quantity and complexity of this waste now present serious risks to both the environment and human health (Chioatto and Sospiro 2022; Kurniawan et al. 2022).

India produces approximately 68.8 million tons of solid waste per day, and improper waste disposal has become as a serious problem for urban areas and their surrounding regions. Municipal Solid Waste (MSW) in the country is composed of about 51% organic matter, while 17.5% consists of recyclable materials such as paper, plastic, metal, and glass (Williams et al., 2016).

The implementation of taxes, pollution control measures, emission trading systems, along with fines and charges for polluters, can help internalize environmental externalities through the "polluter pays" principle (GARCÍA-MADURGA et al. 2022). These mechanisms would raise the operational costs for polluting or inefficient firms, thereby encouraging them to invest in cleaner, more environmentally sustainable practices (Masi et al., 2017).

Adopting a circular economy model is considered a powerful strategy for advancing policy frameworks while simultaneously reducing environmental pollution and curbing greenhouse gas emissions (De Pascale et al. 2021; Durán-Romero et al. 2020).

The top 10 emitters such as China, the USA, the EU, India, the Russia, Japan, Brazil, Indonesia, Iran, and Canada are responsible for over 68% of global greenhouse gas emissions. In contrast, less than one hundred countries account for 3% of global greenhouse gas emissions (Yang et al., 2022).

Energy and materials circularity acts such as using scrap steel, recycling and reusing plastics, papers and cement can reduce energy consumption and dependence on expensive technologies like carbon capture (Fragkos 2022).

As per world economic forum the framework such as circular economy (CE) outlook can save over 1 trillion dollars per year globally because of lower carbon emission, lower costs and reduction in supply chain risk and about half trillion dollars of India's GDP value can be protected by circular economy (Fiksel, 2021).

So what do mean by a Circular Economy?

A circular economy is an economic system aim at removing waste and the continual use of natural resources. It focuses on reuse, sharing, repair, refurbishment, remanufacturing, and recycling to create a closed-loop system, minimizing the use of resource inputs and the generation of waste, pollution, and carbon emissions (Geissdoerfer et al., 2017).

In a circular economy (CE), the main aim is to

- 1. Increase the value of products, materials and natural resources
- 2. Use waste as a resource; and minimize waste generation (Bressanelli et al., 2019).

CE is a strategy(few decades old) or a path for achieving SDG-12 (Responsible Consumption and Production), reducing environmental harm, and facing the challenge of resource scarcity. (Madurga et al , 2022)

The traditional culture of repair and reuse has gradually declined, giving way to linear business models. As a result, underlying issues such as:

reduction in resource efficiency dragging the economic growth of the country,

- rampant waste generation,
- negative externalities at the cost of socio-economic welfare attributable to environmental degradation,
- extreme poverty due to unemployment and
- low quality dangerous working environments (Bherwani et al., 2022).

As outlined by the Ellen MacArthur Foundation (2023), the circular economy aims to separate economic growth from the use of limited natural resources. It is built upon three core principles:

- 1. Preventing waste and pollution,
- 2. Keeping products and materials in use at their highest possible value, and
- 3. Restoring and enhancing natural systems.

Currently, just 7.2% of the world's economy operates under circular principles (Circle Economy, 2023)

With a global population of 8 billion, over 100 million tons of materials are consumed annually. According to Circle Economy (2023), this material consumption is expected to double by 2050 compared to 2015 levels, posing a significant risk to the sustainability of natural resource limits.

CE will enable us to "fulfill people's needs with only 70% of the materials we now extract and use—moving human activity back within the safe limits of the planet" (Circle Economy, 2023).

Material productivity is an important measure of a circular economy and has been widely applied in various studies (Busu &Trica, 2019) It is calculated as the GDP divided by domestic material consumption (DMC) which measures the total amount of materials directly used by an economy and expressed in the purchasing power standard (PPS) per kilogram (Eurostat, 2023).

This indicator provides an effective measure of advancement toward a circular economy, since economies that are more circular tend to use fewer natural resources and exert less pressure on the environment (Robaina et al., 2020). Therefore, it is expected that material productivity is positively correlated with economic growth.

In recent decades, numerous countries have aimed to achieve net-zero emissions by 2050. In OECD nations, materials management activities contribute substantially to greenhouse gas emissions, both directly and indirectly. Total GHG emissions are expected to reach 75 gigatons of CO₂-equivalent by 2060, with materials management accounting for approximately two-thirds (50 gigatons CO₂-eq) of this total (OECD, 2020). Similarly, the Ellen MacArthur Foundation (2021) reports that nearly 45% of current emissions are linked to product manufacturing

processes, highlighting the importance of reducing energy and resource use in alignment with the circular economy's core principles.


Consistent with this, the Ellen MacArthur Foundation (2021) highlights that the circular economy can significantly contribute to reaching net-zero emissions by potentially reducing greenhouse gas emissions by 9.3 billion tonnes. This can be achieved through strategies such as keeping materials in circulation, removing waste, and restoring green space. This reduction is estimated to be comparable to the total current global emissions from all transportation sources (Ellen MacArthur Foundation, 2021).

Literature Review

Modern economies heavily rely on the extraction and use of raw materials, which support both industrial production and societal development. However, the continuous rise in resource extraction has resulted in serious environmental consequences and social inequalities, pushing the planet beyond its safe ecological limits. The ever-increasing demand for natural resources intensifies ecological pressures and poses significant challenges to achieving global sustainability. (SCP-HAT Standard Report)

To address these issues, international frameworks such as Sustainable Development Goal (SDG) 8, which promotes Decent Work and Economic Growth, and SDG 12, focusing on Responsible Consumption and Production, encourage the adoption of more efficient and responsible resource use practices. One of the key approaches recommended within these frameworks is enhancing material efficiency — producing more economic value while using fewer raw materials, thereby improving material productivity.

Figure 1: Trend of raw material consumption.



Source – International Resource Panel, SCP-HAT, Module 2

A crucial step toward achieving sustainable resource use involves the concept of decoupling, where a country's economic output grows at a faster pace than its material consumption. In practical terms, this means decreasing the amount of natural resources required to sustain economic growth, typically measured through the material footprint. Decoupling economic

performance from material use is fundamental to the transition towards a circular economy, which prioritizes resource efficiency, waste minimization, and the continual reuse of materials within production cycles.

Between 1990 and 2022, India experienced a significant rise in domestic raw material consumption, which increased by approximately 164.4%, from 2.9 gigatonnes (Gt) or (2.9 billion tonnes) in 1990 to 7.7 Gt or 7.7 billion tonnes in 2022. Among the various material categories, non-metallic minerals accounted for the largest share in 2022, with consumption reaching 3497.2 million tonnes (Mt), followed by biomass (2987.0 Mt), fossil fuels (905.8 Mt), and metallic minerals (281.7 Mt).

India's economic development has increasingly relied on resources sourced both domestically and internationally, reflecting the complex interdependencies created by globalization and integrated global supply chains. This growing global interconnectedness has led to a geographical separation between where environmental pressures occur and where the benefits of production, trade, and consumption are experienced. The **material footprint** of a country — representing the total global extraction of resources driven by a nation's final consumption — illustrates this dynamic. For India, the material footprint grew by **167.2%** during the same period, reaching **7.2 Gt in 2022**. Here again, **non-metallic minerals** contributed the most (**2947.9 Mt**), followed by biomass (2567.8 Mt), fossil fuels (1124.4 Mt), and metallic minerals (511.7 Mt).

Simultaneously, India's **Gross Domestic Product** (**GDP**) increased by a significant **536.6%** between 1990 and 2022. This considerable economic growth led to an improvement in **material productivity** defined as GDP generated per unit of material footprint, showing more economic output was achieved for each tonne of materials consumed.

A comparative analysis of trends in India's material footprint, economic growth (GDP), and human development reveals important insights. Between 1990 and 2022, India succeeded in achieving relative decoupling of material footprint from GDP growth. In other words, while both GDP and material consumption increased, the rate of economic growth consistently outpaced the rise in material use across domestic and global supply chains. However, when assessed in relation to human development outcomes, India did not achieve decoupling between 1990 and 2021. This suggests that while economic gains were made more resource-efficient, improvements in human well-being and social progress, as captured by HDI, did not correspondingly decouple from material consumption trends. (UNEP, 2024)

Sustainable Development Goal (SDG) 13 (Climate Action) highlights the universal threat of climate change, which disrupts economies and jeopardizes long-term development. To tackle this, nations must lower their greenhouse gas (GHG) emissions while continuing to pursue socio-economic progress, measured through indicators such as GDP and HDI.

Beyond domestic emissions, it's important to account for **the emissions embedded along global supply chains**, known as a country's **carbon footprint**—the total GHG emissions globally attributable to the final consumption within a country. Progress in mitigating emissions relative

to economic growth can be assessed using **carbon productivity**, calculated as GDP divided by the carbon footprint.

In India, GHG emissions rose by **181.1%** between 1990 and 2022, increasing from **1.3 Gt CO2** equivalent (CO2e) to **3.6 Gt CO2e**. The primary contributor in 2022 was carbon dioxide (2463.7 Mt CO2e), followed by methane (833.0 Mt CO2e), nitrous oxide (246.2 Mt CO2e), and other greenhouse gases (76.3 Mt CO2e). India's extensive global trade links mean its consumption patterns indirectly contribute to emissions worldwide, intensifying the global disconnect between the location of environmental pressures and consumption demands.

Over the same period, India's **carbon footprint** grew by **174.6%**, reaching **3.3 Gt CO2e** in 2022. The distribution of this footprint was dominated by **carbon dioxide** (**2239.2 Mt CO2e**), followed by **methane** (**801.6 Mt CO2e**), **nitrous oxide** (**219.0 Mt CO2e**), and other gases (85.3 Mt CO2e). Notably, **GDP expanded by 536.6%**, leading to an increase in **carbon productivity**.

A comparative analysis of **carbon footprint**, economic growth (GDP), and **human development** (**HDI**) reveals that India achieved **relative decoupling** of GHG emissions from GDP between 1990 and 2022, meaning GDP growth outpaced the rise in emissions. However, this decoupling was not achieved in relation to HDI improvements over the same period, highlighting the ongoing challenge of aligning environmental sustainability with inclusive human development (UNEP, 2024).

Figure 2: Trend of domestic GHG emissions.





Figure 3: Trend of CO2 from waste collection, treatment, and disposal.

Figure 4: Trend and classification of GHG emissions from consumption.

Climate Change (Long-Term), 1990-2024, Consumption footprint India Million tonnes CO2 eq. 1500 CH₄ CO₂ N₂O

Source- International Resource Panel, SCP-HAT, Module 2

Figure 5: Trend and classification of GHG emissions from domestic production.



Gaps in Literature Review

- **Gap 1**: Few studies quantitatively demonstrate how CE policies achieve **absolute decoupling** (GDP↑ + GHG↓) in India.
- **Contribution**: ARIMAX models can fill this by showing:
- 1. Relationship between material consumption and GHG
- 2. Use of MP as a **continuous variable** in time-series models provides replicable metrics for policy evaluation.
- Gap 2: Lack of datasets for circularity indicators in India such recycling rate, environmental tax, and Green jobs.
- Contribution: Use comprehensive datasets to show circularity in India such as Domestic Material Consumption and CO2 from waste collection and treatment.

Research Objectives

Research Question

- 1. Can an ARIMAX model incorporating material consumption (DMC) and waste-CO₂ trends accurately forecast future GHG emissions under business-as-usual conditions, and what policy interventions could alter this trajectory?
- 2. Can India decouple its economic growth from environmental crises based on resource efficiency and waste management before 2070 ?

Objectives

- 1. Measure Domestics Material Consumption(DMC) and Co2 Emissions from Waste's impact on GHG over the period of time till 2030, 2047, 2070. By doing this study aims to express the importance of circular economy implication in India to reduce wastage and GHG.
- 2. Analyze the impact of Material Productivity on GDP.
- 3. Analyze the trend of decoupling of economic growth from environment degradation.

Hypothesis Setting

Primary Hypothesis (Model Validation)

Null Hypothesis: The ARIMA(0,0,1) model do not **significantly** explains GHG emissions trends, with DMC and waste-CO₂ as predictors ($\beta_1 \neq 0$, $\beta_2 \neq 0$).

Alternative Hypothesis: The ARIMA(0,0,1) model **significantly** explains GHG emissions trends, with DMC and waste-CO₂ as predictors ($\beta_1 \neq 0$, $\beta_2 \neq 0$).

Data and Methodology

This study investigates the impact of the circular economy on greenhouse gas (GHG) emissions and Gross Domestic Product (GDP) in India over the period 2019 to 2024, with projections till 2030, 2047, and 2070. The analysis draws upon secondary time-series data sourced from reputable national and international databases.

The key variables considered in this study are:

- **Gross Domestic Product (GDP):** Measured at constant prices (PPP 2017 LCU), sourced from the World Bank.
- Greenhouse Gas (GHG) Emissions: Measured in million metric tons of CO₂ equivalent, aggregated from carbon dioxide (CO₂), methane (CH₄), and nitrous oxide (N₂O) emissions, sourced from the World Bank.
- **Domestic Material Consumption (DMC):** It is an indicator to show resource use, indicating the total amount of material directly used in an economy. Data sourced from the United Nations Environment Program (UNEP), International Resource Panel. It is measured in million metric tons.
- Material Productivity (MP): is a key indicator of a circular economy and it has been used in numerous studies (Busu &Trica, 2019). It is calculated as the GDP divided by domestic material consumption (DMC) which measures the total amount of materials directly used by an economy and expressed in the purchasing power standard (PPS) per kilogram (Eurostat, 2023). Data obtained from UNEP's Global Material Flows Database.
- CO₂ Emissions from Waste collection, treatment, and disposal: Represents emissions resulting specifically from waste management processes in India. Data sourced from International Resource Panel's SCP HAT. It is measured in Mt

Econometric Modeling

• Elasticity Estimation:

GHG elasticity with respect to GDP is estimated before including circular economy variables to observe whether the economy's emissions intensity.

Figure 6: Elasticity of GHG over GDP as per 2023

. reg ln_ghg ln_gdp

Source	SS	df	MS	Numbe	er of obs	=	34
Model Residual Total	3.86235859 .030388331 3.89274692	1 32 33	3.86235859 .000949635	.000949635 R-squared Adj R-squared		= = =	4067.20 0.0000 0.9922 0.9919 .03082
ln_ghg	Coef.	Std. Err.	t	P> t	[95% Co	onf.	Interval]
ln_gdp _cons	.5606162 -10.06568	.0087906 .2796724	63.77 -35.99	0.000 0.000	.542710 -10.6353		.578522 -9.496002

- The model $\ln_{GHG} = -10.07 + 0.56*\ln_{GDP}$ is a log-log regression
- Coefficient of ln_GDP(0.56) represents the **elasticity of GHG emissions with respect to GDP**.
- Interpretation: A 1% rise in GDP is associated with a 0.56% rise in GHG emissions, holding other factors constant.
- This indicates inelastic demand for emissions relative to economic growth (elasticity < 1).
- Decoupling occurs when GHG emissions grow slower than GDP.
- Elasticity < 1 (0.56): Emissions grow at ~56% the rate of GDP growth.
- Example: If India's GDP grows by 10%, emissions rise by only 5.6%.
- **Statistical Significance**: The coefficient is highly significant (p = 0.000), confirming this relationship.

Descriptive Statistics

The preliminary analysis involves summarizing the data through descriptive statistics (mean, standard deviation, maximum, and minimum values) to examine the strength and direction of linear relationships between variables.

Figure 7: Descriptive Analysis of all variables.

Min	Max
1383.064	4133.554
Min	Max
2.51e+13	1.74e+14
Min	Max
9378.264	23345.78
Min	Max
3.24725	71.87061
Min	Max
3000	8900
	Min 2.51e+13 Min 9378.264 Min 3.24725

Unit Root and Stationarity Tests

Time-series data often exhibit trends, and it is essential to check for stationarity before proceeding with regression analysis. The study applies the following tests:

• Augmented Dickey-Fuller (ADF) Test

The test ascertains whether the series are stationary at levels or after differencing.

Figure 8: Output of stationary test of all variables.

Augmented D	ickev-Fuller test	t for unit root	Number of obs	=	31
nagmenroea D.	ickey ruller des	201 41110 1000	Manuel of obs		
		Inte	erpolated Dickey-Ful	ler -	
	Test	1% Critical	5% Critical	10%	Critical
	Statistic	Value	Value		Value
		2 700	0.000		-2.623
		-3.709 ocal\Temp\STD010000	-2.983		-2.623
. do "C:\Use	ers\PC\AppData\Lo	ocal\Temp\STD010000		=	
. do "C:\Use	ers\PC\AppData\Lo	ocal\Temp\STD010000	000.tmp"		32
do "C:\Use	ers\PC\AppData\Lo	root Inte	Number of obs	ler -	32
do "C:\Use	ers\PC\AppData\Lo	root Inte	Number of obserpolated Dickey-Ful	ler -	32

• ARIMAX Models:

The Autoregressive Integrated Moving Average with exogenous variables (ARIMAX) model is used to incorporate circular economy indicators (DMC and MP) as explanatory variables to assess their influence on GHG emissions. A Dickey-Fuller test with trend confirmed stationarity of the first-differenced DMC series. GHG and Co2 waste became stationary after first-differenced without trend.

Figure 9: ARIMAX model, arima d_ghg d_dmc d_Co2waste epr_policy if year <= 2023, arima(0,0,1)

ARIMA regress:	ion						
Sample: 1991	- 2023			Number	of obs	=	33
				Wald ch	i2(4)	=	91.34
Log likelihoo	d = -187.1518			Prob >	chi2	=	0.0000
		OPG					
d_ghg	Coef.	Std. Err.	Z	P> z	[95%	Conf.	Interval]
d_ghg							
d_dmc	.348301	.0688308	5.06	0.000	.213	3951	. 483207
d_Co2waste	42.40345	8.273787	5.13	0.000	26.1	8712	58.61977
epr_policy	18.7656	9.997504	1.88	0.061	829	1445	38.36035
_cons	-4.430852	12.76685	-0.35	0.729	-29.4	5341	20.59171
ARMA							
ma							
L1.	-1.000001	. 2545298	-3.93	0.000	-1.4	9887	5011316
/sigma	66.61464						

Note: The test of the variance against zero is one sided, and the two-sided confidence interval is truncated at zero.

$\Delta GHGt$ =-4.43 + 0.3483× $\Delta DMCt$ +42.40× Δ CO2Wastet + 18.77×EPRPolicyt - 1.000×et-1+et

Table 1: Details of the variables.

Variable	Coefficient	P-value	Significance
d-dmc	0.34830	0.000	Significant at 1%
d_Co2waste	42.4034	0.000	Significant at 1%
Constant	-4.4308	0.729	Not significant
EPR policy	18.7656	0.061	Significant at 10%
Moving Average	-1.0000	0.000	Significant at 1%

In this study, an (ARIMAX) with Exogenous Variables model has been used to forecast Greenhouse Gas (GHG) emissions in India under the influence of circular economy indicators. It includes external predictor variables (also called regressors) that may influence the dependent variable beyond its own lagged values and past errors.

Model Specification

The selected model for the study is **ARIMAX** (0,0,1), meaning:

- AR(p) = 0: No autoregressive terms.
- I(d) = 0: The series is stationary at level (after differencing GHG once to remove non-stationarity).
- MA(q) = 1: One lag of the error term is included.
- Exogenous variables (X):
 - o Differenced Domestic Material Consumption (d_dmc)
 - o Differenced CO₂ Emissions from Waste (d Co2waste)
 - EPR Policy Dummy Variable (epr_policy) indicating presence of EPR policy intervention from 2016 onwards.

Interpretation:

- Both explanatory variables, DMC and Co2 from waste are statistically significant at the 1% level and 5% respectively.
- A 1-unit increase in the change in DMC leads to a **0.35-unit increase in GHG** emissions.
- A 1-unit increase in the change in CO₂ emissions from waste causes a **42.4 unit increase** in GHG emissions.
- **EPR Policy Dummy** is statistically significant at **10% level (marginally)**. This positive sign is a bit counterintuitive, as EPR is expected to lower GHG emissions.

This suggests:

- Either EPR's measurable effect on reducing emissions hasn't materialized in the short term.
- Or that implementation lag and coverage gaps have limited its immediate impact.
- MA (1) term is significant, indicating residual autocorrelation at lag 1 is captured well.
- The overall model is statistically significant (Wald chi2(3) = 60.77, p = 0.0000).
- Coefficient is not statistically significant, indicating no fixed intercept effect in explaining changes in GHG emissions.

Wald Chi-squared (4) = 91.34, p = 0.0000

- → Jointly, all predictors in the model are highly significant.
- Material consumption (DMC) and CO₂ emissions from waste have statistically significant, positive short-run impacts on changes in GHG emissions in India.
- The inclusion of **EPR Policy as a dummy variable** shows a **positive but marginally significant effect**, indicating complexities or lagging outcomes in the short-run, which might improve with stronger implementation over time.
- The moving average term successfully captures residual autocorrelation, ensuring robust error term management.
- Overall, the model is statistically sound and reliable for short-run policy-oriented environmental forecasting

The ARIMAX (0,0,1) model confirms that both material consumption and waste-related CO2 emissions have a statistically significant and positive impact on the change in India's GHG emissions. The model effectively captures the moving average component in the residuals and offers a reliable short-run dynamic forecasting framework. Residual diagnostics indicate robustness, making this model suitable for policy-oriented environmental forecasting.

The selected following model for forecasting GDP is ARIMAX (1,0,1):

Figure 10: Output of ARIMAX model of GDP based on material productivity.

ARIMA regress:	ion					
Sample: 1991	- 2023				of obs =	33
Log likelihood	d = 76.58963				i2(2) = chi2 =	9.12 0.0105
		OPG				
d_ln_gdp	Coef.	Std. Err.	Z	P> z	[95% Conf.	Interval]
d_ln_gdp						
d_ln_mp	. 4593516	.1912521	2.40	0.016	.0845043	.8341988
_cons	.0470664	.0057347	8.21	0.000	.0358266	.0583063
ARMA						
ar						
L1.	. 6663812	. 2712187	2.46	0.014	.1348022	1.19796
ma						
L1.	9999995			-	-	
/sigma	.0230387	.0031625	7.29	0.000	.0168404	. 029237

Model equation:

$d(lnGDP)t = 0.0471 + 0.4594 \times d(lnMP)t + 0.6664 \times (lnGDP)t - 1 - 0.9999 \times et - 1 + et$

- Its own lag AR (1), that is past value of previous period of GDP.
- A lagged error term MA (1), that is past error term et-1.
- Material productivity (d_ln_mp) as an exogenous variable.

Wald chi square which is 9.12 (p = 0.0105), means the joint significance test of predictors is statistically significant (p < 0.05), meaning the included variables have explanatory power over GDP growth.

Log Likelihood is 76.58963, which means model is good for comparison.

Variable d_ln_gdp (lag) has coefficient of 0.4594 with P-value of 0.016, means the first lag of GDP growth (log-difference) has a positive and significant effect on current GDP growth. A 1% increase in last period's GDP growth is associated with a **0.459% increase** in this period's GDP growth.

Variable d_ln_mp has coefficient of 0.0471 with P-value of 0.000, means Material productivity growth has a **positive and highly significant** effect. A 1% increase in material productivity growth leads to a **0.047% increase in GDP growth**.

AR (L1) Autoregressive term with lag 1 has coefficient of 0.6664 with Significant p-value (p < 0.05), indicating positive autocorrelation in GDP growth, meaning last year's growth positively affects this year's.

MA(L1) Moving Average with lag 1 has coefficient of -0.9999(Approximate value of -1, suggesting a strong correction for shocks in GDP growth, i.e., errors from the previous period almost fully offset in the current period.

The standard deviation of residuals (model's error term). Lower is better — and this is fairly low for log-differenced GDP growth.

The ARIMA model suggests that GDP growth in India is significantly influenced by both its past values and material productivity growth. Past GDP growth has a strong positive impact on current growth. Additionally, material productivity growth contributes positively and significantly to economic growth. The model also reveals significant autoregressive (AR) and moving average (MA) dynamics, indicating the presence of persistent trends and correction mechanisms in the time series of GDP growth.

These are the forecasted value of GHG from 2024 - 2070 based on exogenous variables (Projected DMC at 3% annual growth based on historical trend) and (Projected CO2waste at 2% annual growth based on historical trend).

On the right side there is forecasted value of GDP from 2024 - 2070 based on material productivity which is projected at 3% annual growth based on historical trend.

Figure 11: Forecasted value of GHG(Left) and GDP(Right).

year	ghg	ghg_fo~t	lower	upper	_	yea			_
2020	3433.62	4133.554	3991.615	4275.494		2020		1.4e+14	
2021	3679.86	4133.554	3991.615	4275.494		2021		1.5e+14	
2022	3897.21	4133.554	3991.615	4275.494		2022		1.6e+14	
2023	4133.55	4133.554	3991.615	4275.494		2023	1.	7e+14	
2024		4157.955	4016.015	4299.894		2024			. 1.85e+14
2025		4269.404	4095.865	4442.943		2025			. 1.97e+14
2026		4383.924	4210.385	4557.463		2026			2.09e+14
2027		4501.603	4328.064	4675.142		2027			2.23e+14
2028		4622.534	4448.995	4796.073		2028			2.37e+14
2029		4746.813	4573.273	4920.352		2029			2.52e+14
2030		4874.537	4700.998	5048.076		2030			2.67e+14
2031	•	5005.807	4832.268	5179.346		2031			2.84e+14
2032		5140.727	4967.188	5314.266		2032			3.02e+14
2032	-					2033			3.21e+14
	•	5279.404	5105.865	5452.943		2034			3.41e+14
2034		5421.948	5248.409	5595.487		2035			3.62e+14
2035		5568.473	5394.934	5742.012		2036			3.85e+14
2036		5719.095	5545.556	5892.634		2037			4.09e+14
2037	-	5873.935	5700.396	6047.474		2038			4.34e+14
2038		6033.115	5859.576	6206.654		2039			4.62e+14
2039		6196.763	6023.224	6370.302		2040			4.90e+14
2040		6365.011	6191.472	6538.55		2040	•		5.21e+14
2041	-	6537.994	6364.455	6711.533		2041			5.21e+14 5.54e+14
2042		6715.849	6542.31	6889.388		2042			5.88e+14
2043		6898.721	6725.182	7072.26					
2044		7086.757	6913.218	7260.296		2044			6.25e+14
2045		7280.108	7106.569	7453.647		2045			6.64e+14
2046		7478.931	7305.392	7652.47		2046	•		7.06e+14
						2047			7.50e+14
2047		7683.386	7509.847	7856.925		2048	-		7.97e+14
2048		7893.639	7720.1	8067.178		2049			8.46e+14
2049		8109.86	7936.321	8283.399		2050			8.99e+14
2050		8332.226	8158.687	8505.765		2051			9.55e+14
2051		8560.915	8387.376	8734.454		2052	-		1.02e+15
2052		8796.114	8622.575	8969.653			•		
2053		9038.016	8864.477	9211.555		2053			1.08e+15
2054		9286.815	9113.276	9460.354		2054			1.15e+15
2055		9542.718	9369.179	9716.257		2055			1.22e+15
2056	•	9805.931	9632.392	9979.47		2056			1.29e+15
2057	•	10076.67	9903.131	10250.21		2057			1.37e+15
	-	10355.16				2058	-		1.46e+15
2058	-		10181.62	10528.7		2059			1.55e+15
2059	-	10641.62	10468.08	10815.16		2060			1.65e+15
2060	-	10936.29	10762.75	11109.83		2061	-		1.75e+15
2061		11239.42	11065.88	11412.96		2062			1.86e+15
2062		11551.25	11377.71	11724.79		2063			1.98e+15
2063	-	11872.04	11698.5	12045.57		2064			2.10e+15
2064		12202.04	12028.5	12375.58		2065			2.23e+15
2065		12541.54	12368.01	12715.08		2066			2.37e+15
2066		12890.82	12717.28	13064.36		2067			2.52e+15
2067		13250.16	13076.62	13423.7		2068			2.68e+15
2068	•	13619.86	13446.32	13793.39		2069	-		
									2.85e+15
2069		14000.22	13826.68	14173.76		2070		٠	3.02e+15
2070		14391.56	14218.02	14565.1					

Table 2: Key Highlights of forecasted values of variables.

Year	GHG (MtCO ₂ e)	GDP(Constant) (Rupees)	DMC (Tons)	CO ₂ from Waste (Mt)	MP (Rs/Tones)
2030	4875	₹267.3 Lakh Crore	10946	19.84	28712
2047	7683	₹749.7 Lakh Crore	18092	27.78	47457
2070	14,391	₹3,020 Lakh Crore	35706	43.81	93660

Trend of GHG: Steady and significant increase from 1,383 Mt in 1990 to 14,391 Mt in 2070 (~10.7x growth).

- Growth accelerates post-2020(covid-19), suggesting rising industrial activity, energy demand, or insufficient de-carbonization policies.
- No peak or decline observed—contrary to global climate goals (e.g., net-zero by 2050).
- **Policy Implication**: Without aggressive mitigation (e.g., renewables, carbon capture), emissions will continue rising dangerously.

Trend of DMC: Grows from **3000 Million tonnes** (**1990**) to **35706 Million tonnes** (**2070**) (~12x increase).

- Linear growth, indicating no decoupling from economic/population expansion.
- **Policy Implication**: Circular strategies (recycling, efficiency) are needed to flatten the curve.

Trend of Co2 from waste: Rises from **3.25 Mt (1990)** to **43.81 Mt (2070)** (~13.5x increase).

- Tracks closely with DMC, suggesting waste generation is tied to material consumption.
- No significant waste reduction or advanced treatment (e.g., zero-landfill policies) is modeled.
- **Policy Implication**: Waste-to-energy, composting, and stricter landfill regulations could curb this trend.

Model Diagnostic and Validation Tests

To ensure the robustness of the estimated models, the following diagnostic tests are conducted:

Forecast after assuming circularity in the country:

These are the forecasted value of GHG from 2024 - 2070 based on exogenous variables (When projected DMC at 2% annual growth), (Projected CO2waste at 1% annual growth) and introduction EPR (Extended Producer Responsibility) policy from 2016 after assuming some circularity in the country through policy implementation.

On the right side there is forecasted value of GDP from 2024 - 2070 based on material productivity which is projected at 5% annual growth after some circularity in the country.

Figure 12: Forecasted value of GHG(Left) and GDP(Right).

year	ghg	ghg_f~t2	lower2	upper2
2023	4133.55	4133.554	3991.615	4275.494
2024	-	4140.75	3979.772	4263.651
2025	-	4225.72	4021.679	4368.757
2026		4312.028	4096.493	4443.571
2027		4399.701	4172.639	4519.717
2028	-	4488.765	4250.145	4597.223
2029		4579.247	4329.035	4676.113
2030		4671.176	4409.338	4756.417
2031		4764.579	4491.082	4838.16
2032		4859.484	4574.294	4921.373
2033		4955.921	4659.004	5006.082
2034		5053.921	4745.24	5092.318
2035		5153.513	4833.033	5180.111
2036		5254.728	4922.413	5269.491
2037		5357.599	5013.411	5360.489
2038		5462.156	5106.059	5453.137
2039		5568.435	5200.389	5547.467
2040		5676.466	5296.434	5643.512
2041		5786.286	5394.229	5741.307
2042	_	5897.929	5493.806	5840.884
2043		6011.431	5595.202	5942.28
2044		6126.827	5698.452	6045.53
2045		6244.155	5803.592	6150.67
2046		6363.453	5910.66	6257.738
2047		6484.759	6019.693	6366.771
2047	-	6608.113	6130.73	6477.809
2049	•	6733.554	6243.811	6590.889
2049		0733.334	0243.011	0030.003

					-			
2050	6861.123	6358.975	6706.053	2047		7.56e+14	7.14e+14	7.88e+14
2051	6990.861	6476.264	6823.342	2048		8.04e+14	7.58e+14	8.37e+14
2052	7122.813	6595.718	6942.796	2049		8.54e+14	8.06e+14	8.89e+14
2053	7257.019	6717.382	7064.46	2050		9.07e+14	8.56e+14	9.45e+14
2054	7393.525	6841.298	7188.376	2051		9.64e+14	9.09e+14	1.00e+15
2055	7532.376	6967.51	7314.588	2052		1.02e+15	9.66e+14	1.07e+15
2056	7673.618	7096.064	7443.143	2053		1.09e+15	1.03e+15	1.13e+15
2057	7817.297	7227.006	7574.084	2054		1.16e+15	1.09e+15	1.20e+15
2058	7963.461	7360.383	7707.461	2055		1.23e+15	1.16e+15	1.28e+15
2059	8112.16	7496.243	7843.321	2056		1.31e+15	1.23e+15	1.36e+15
2060	8263.441	7634.634	7981.712	2057		1.39e+15	1.31e+15	1.44e+15
2061	8417.357	7775.607	8122.685	2058		1.47e+15	1.39e+15	1.53e+15
2062	8573.959	7919.212	8266.29	2059		1.57e+15	1.48e+15	1.63e+15
2063	8733.299	8065.501	8412.579	2060		1.66e+15	1.57e+15	1.73e+15
2064	8895.431	8214.527	8561.605	2061		1.77e+15	1.67e+15	1.84e+15
2065	9060.41	8366.345	8713.423	2062		1.88e+15	1.77e+15	1.96e+15
2066	9228.292	8521.008	8868.086	2063		2.00e+15	1.88e+15	2.08e+15
2067	9399.134	8678.572	9025.65	2064		2.12e+15	2.00e+15	2.21e+15
2068	9572.993	8839.097	9186.175	2065		2.25e+15	2.13e+15	2.35e+15
2069	9749.93	9002.638	9349.716	2066		2.39e+15	2.26e+15	2.49e+15
2070	9930.003	9169.256	9516.334	2067		2.54e+15	2.40e+15	2.65e+15
				2068		2.70e+15	2.55e+15	2.81e+15
				2069		2.87e+15	2.71e+15	2.99e+15
				2070		3.05e+15	2.88e+15	3.18e+15

Table 3: Key highlights from forecasted values

Year	GHG (MtCO ₂ e)	GDP(Constant) (Rupees)	DMC (Mt)	CO ₂ from Waste (Mt)	MP (Rs/Tons)
2030	4671	270 Lakh Cr.	10223	18.3344	32850
2047	6484	756.3 Lakh Cr.	14315	21.9307	75293
2070	9930	3050 Lakh Cr.	22573	27.5704	231263




Figure 13: Trend of GHG based on independent variabbles.

After forecasting the GHG and the GDP, study examined the elasticity between both of them explaining the concept of decoupling in case of India, whether the GHG growth is less than that of GDP or GHG is Zero when GDP is rising (Absolute Decoupling).

Here the elasticity in all output is the coefficient of log of GDP:

DMC grows at 2% annually, CO2 Waste at 1%, EPR Policy active from 2016

Table 4: Elasticities of GHG over GDP on BAU.

Year	Elasticity (η)	Decoupling Status		
2030	0.544	Moderate Decoupling		
2047	0.507	Decoupling		
2070	0.4821	Insufficient Decoupling		

This is elasticity of GHG over GDP on business-as-usual (BAU) conditions, when DMC and Co2 is increasing based on historical trend.

Table 5: Elasticities of GHG over GDP after circularity.

Year	Elasticity (η)	Decoupling Status		
2030	0.535	Moderate Decoupling		
2047	0.463	Decoupling		
2070	0.402	Insufficient Decoupling		

Table shows the elasticity of GHG over GDP after implementing circularity in Indian industries through less domestic material use, Co2 from waste, high material productivity, and policies such as Extended Producer Responsibility

Hypothesis Testing

1. Primary Hypothesis Testing (Model Significance)

H₀: The ARIMA(0,0,1) model **does not** significantly explain GHG emissions trends when accounting for DMC and waste-CO₂ ($\beta_1 = \beta_2 = 0$).

Test Statistic (Likelihood Ratio Test (Full vs. Restricted Model)):

LR chi - square = 10.49, p-value: 0.0053, since p = 0.0053 < 0.05, we reject H₀.

We have statistically significant evidence that **DMC**, CO₂ from waste, and EPR policy improves the model's ability to explain changes in GHG emissions.

Hence, the ARIMAX model with DMC and CO₂ waste significantly improves GHG emissions prediction compared to a model without these predictors. Material consumption and waste management are statistically significant drivers of GHG emissions in India.

2. Predictor Significance Test

(H₀1): The coefficients of d_dmc and d_Co2waste are individually and jointly zero.

Test Statistic: Wald $chi^2(2) = 24.36$

p-value: 0.0000, Strong rejection of H₀ (p < 0.0001). It means d_dmc and d_Co2waste are statistically significant predictors of d_ghg.

Joint Significance Test of Explanatory Variables

• Chi2(3) = 58.91 and Prob > chi2 = 0.0000. The p-value is 0.0000 (< 0.05). We reject the null hypothesis, means all three variables together are jointly significant predictors of the change in GHG emissions.

Breusch-Pagan Test for Heteroskedasticity

• Chi2(1) = 0.00 and Prob > chi2 = 0.9477

High p-value (0.9477 > 0.05) suggests no evidence of heteroskedasticity in the residuals when tested against fitted values.

. sktest res1								
	Skewne	ess/Kurtosis to	cosis tests for Normality					
						joint		
Variable	Obs	Pr(Skewness)	Pr(Kurtosis)	adj	chi2(2)	Prob>chi2		
resl	33	0.0595	0.0160		8.06	0.0178		
'	•							

Skewness is slightly marginal, borderline non-normal skew (typical cutoff is 0.05)

Kurtosis is significant — indicates kurtosis deviates from normal (more peaked or flat-tailed)





Figure 14: Normality graph.

Source: Stata software

Autocorrelation Check: Portmanteau (Q) Test

• Q-stat = 8.8421 and Prob > chi2(10) = 0.5472, the p-value is **0.5472** (> **0.05**), so we **fail to reject the null hypothesis of no autocorrelation**. **Residuals are not auto-correlated**, meaning your ARIMA model's MA (1) term is working well and has captured any autocorrelation structure. Only the **lag 1 autocorrelation is on the boundary** (a bit high), which makes sense because the ARIMAX(0,0,1) model was specifically built to capture that MA(1) effect.

Figure 15: Autocorrelation of residuals.



Regression Analysis of GDP on MP and EPR policy

	. regress gdp	mp epr_policy						
ı	Source	ss	df	MS	Numb	er of obs	s =	34
ı					F(2,	31)	=	823.03
ı	Model	6.6263e+28	2	3.3132e+28	Prob	> F	=	0.0000
ı	Residual	1.2479e+27	31	4.0256e+25	R-sq	R-squared		0.9815
ı					- Adj	R-squared	d =	0.9803
ı	Total	6.7511e+28	33	2.0458e+27	7 Root	MSE	=	6.3e+12
ı								
	gdp	Coef.	Std. Err.	t	P> t	[95% (Conf.	Interval]
	mp	8.74e+09	4.07e+08	21.46	0.000	7.91e	+09	9.57e+09
ı	epr_policy	1.30e+13	4.35e+12	2.98	0.006	4.10e	+12	2.18e+13
ı	_cons	-6.09e+13	5.63e+12	-10.82	0.000	-7.24e	+13	-4.94e+13

98.15% of the change in GDP is interpreted by material productivity and EPR policy.

Adjusted for number of predictors — still very high, suggesting a strong model.

The overall regression is **highly statistically significant**.

For every one-unit increase in material productivity, GDP increases by $\mathbf{\xi}$ 8.74 billion (keeping EPR policy constant). This effect is highly significant (p < 0.001).

When the **EPR policy is active** (dummy = 1), GDP increases by ₹ 13 trillion on average compared to when it isn't active (keeping material productivity constant). Statistically significant at 1% (p = 0.006). The execution of **EPR mandate is also associated with a significant increase in GDP**, suggesting that environmental regulation, rather than harming growth, might have coexisted with or even contributed to economic expansion.

The regression analysis reveals that both material productivity and EPR policy implementation have statistically significant and positive effects on India's GDP between the observed years, explaining over 98% of the GDP variation.

Hypothesis Formulation for this regression analysis

Null Hypothesis (H₀):

Material productivity (MP) and EPR policy implementation have no statistically significant effect on India's GDP growth.

Alternative Hypothesis (H₁):

Both material productivity and EPR policy implementation have a positive and statistically significant effect on India's GDP growth.

Testing the hypothesis:

```
. test mp = 0 // Tests H\square: \beta\square = 0 ( 1) mp = 0  F( 1, 31) = 949.67  Prob > F = 0.0000
```

Conclusion: Since p < 0.05, we reject the null hypothesis (H₀).

There is strong, statistically significant evidence that Material Productivity has a significant effect on GDP in our model.

Conclusion:

Since p = 0.0046 < 0.05, we reject the null hypothesis (H₀).

There's statistically significant evidence that **EPR policy has a significant effect on dependent variable (GDP).**

```
. test mp epr_policy // Tests H□: β□ = β□ = 0
( 1) mp = 0
( 2) epr_policy = 0

F( 2, 31) = 739.64
Prob > F = 0.0000
```

Conclusion:

Since p < 0.05, you reject the null hypothesis (H₀). There's very strong, statistically significant evidence that both Material Productivity and EPR Policy significantly affects the dependent variable.

Result

Answer to the research question 1:

Yes — the ARIMAX model used in this study, integrating Domestic Material Consumption (DMC) and CO₂ emissions from waste as explanatory variables, demonstrated strong explanatory power in forecasting GHG emissions under business-as-usual (BAU) conditions. Under the BAU scenario, the forecasted GHG emissions for India by 2070 reached approximately **14,391 MtCO₂e** based on historical growth trends in DMC (2% annually), CO₂ from 3waste (3% annually).

However, when adjusting the growth rates of these independent variables to simulate circular economy adoption — through less material consumption (at 2% annual growth), Co2 from waste (at 1% annual growth) and EPR policy implication, the forecasted GHG emissions showed a noticeable moderation compared to the BAU trajectory which is **9,930 MtCO₂e.**

Answer to the research question 2:

The results of this dissertation suggest that India can gradually decouple its economic growth from environmental degradation by enhancing resource efficiency and strengthening waste management frameworks before 2070, provided that comprehensive circular economy strategies are adopted.

The regression analysis indicated a **significant positive relationship between Material Productivity and GDP**, supporting the notion that improving the efficiency of resource use can drive economic growth without proportionally increasing environmental burdens. Furthermore, the trend analysis of decoupling indicators reveals a potential pathway where economic growth can be maintained or accelerated while stabilizing or even reducing GHG emissions, particularly when coupled with policies such as EPR, waste segregation, material reuse, and recycling initiatives.

Under a scenario incorporating increased material productivity and improved waste management systems, the forecasted GDP by 2070 reached ₹3,050 lakh crore, with a relatively lower increment in GHG emissions compared to the BAU scenario, which was 3020 Lakh Crore. This partial decoupling reflects the transformative potential of circular economy principles in aligning environmental sustainability with economic advancement.

The elasticity of GHG in 2070 was 0.482(insufficient decoupling) after assuming circularity in the country, which is slightly less than BAU scenario, which was 0.488.

In conclusion, while full decoupling may be challenging without aggressive policy and technological shifts, a substantial reduction in the environmental intensity of economic growth appears achievable for India through systematic circular economy adoption, material efficiency improvements, and regulatory reforms in waste management.

Conclusion

After assuming the DMC grow at the rate by 1%, Co2 waste by 2%, material productivity by 5% and EPR policy implication to promote circularity in the country, we have different forecasted value of GHG and GDP then before.

Using a simple regression on GDP with MP and EPR policy implication as predictors, we can state that both significantly affect GDP and promise productive economic growth in India.

The circular economy can actually help in reducing the GHG emissions and the same time increasing the GDP growth, if government focuses on material recovery facility, waste management through technological advancement, and enforcing laws with strict implementation of EPR mandates, Solid waste management rule, and environmental protection act 1986.

To encourage the adoption of a circular economy (CE) in India, the government has introduced several regulatory initiatives. One of the most significant among these is **Extended Producer Responsibility (EPR)**, a policy that places the accountability for the end-of-life management of products on the producers, manufacturers, importers, and brand owners. Under this system, companies are required to ensure proper waste collection, recycling, and safe disposal of their products.

In India, EPR obligations are legally mandated through various environmental regulations, particularly targeting industries that generate plastic packaging waste, electronic waste, battery waste, and waste tyres. The implementation and oversight of these regulations are carried out by the Ministry of Environment, Forest and Climate Change (MoEFCC) in coordination with the Central Pollution Control Board (CPCB).

The main regulatory frameworks for EPR in India comprise:

- 1. Plastic Waste Management (PWM) Rules, 2016 (Amended in 2022): These rules require producers, importers, and brand owners to adhere to EPR guidelines for plastic packaging. Businesses must recover and recycle a fixed percentage of the plastic waste they generate and can opt for a **Plastic Credit Mechanism** if direct recovery targets are not met.
- 2. E-Waste (Management) Rules, 2022:
 Applicable to manufacturers and importers of electronic and electrical equipment, these rules mandate the establishment of systems for collecting, recycling, and reporting e-waste.
- 3. Battery Waste Management Rules, 2022
 This framework requires producers of lead-acid, lithium-ion, and other battery types to develop recycling programs and ensure the safe disposal of battery waste.

4. EPR for Waste Tyres, 2022

Forming a component of the Hazardous and Other Wastes (Management and Transboundary Movement) Amendment Rules, 2022, this regulation makes it obligatory for tyre producers and importers to responsibly collect, recycle, and dispose of used tyres to reduce environmental hazards and support circular practices.

Non-compliance with these EPR regulations can lead to financial penalties, fines, and potential cancellation of business licenses (Malu, 2025).

Policy suggestions

1. Strengthen Enforcement Mechanisms for EPR Compliance

While EPR frameworks exist for plastics, e-waste, batteries, and tyres, implementation gaps at state and local levels remain significant. The government should invest in **digital monitoring platforms** and enforce stricter penalties for non-compliance to ensure accountability.

2. Scale up Material Recovery Facilities (MRFs) and Waste Collection Infrastructure Establish state-of-the-art MRFs at district and urban levels to process segregated waste efficiently. Incentivizing private sector participation through Public-Private Partnerships (PPPs) can expedite infrastructure development.

3. Incentivize Circular Business Models

Provide **fiscal incentives, tax rebates, and subsidies** to businesses adopting circular practices, including models like product-as-a-service, material reuse innovations, and waste-to-resource startups.

4. Integrate CE Education and Awareness Programs

Launch national campaigns to raise public awareness about waste segregation, recycling, and responsible consumption habits. Integrating **CE concepts into school and university curricula** can create a long-term behavioral shift.

5. Mandate Decentralized Waste Management in Rural and Semi-Urban Regions
Circular economy practices must not remain confined to metropolitan cities. Promote
community-level composting units, biogas plants, and decentralized recycling
systems in rural areas to build a truly nationwide circular framework.

6. Strengthen Data Collection and Impact Assessment Systems

A key challenge in formulating effective circular economy policies is the unavailability of accurate data regarding material flows and waste production. The government should prioritize establishing a **National Circular Economy Dashboard** to track performance metrics, policy outcomes, and carbon savings.

7. Regularly Review and Update Regulatory Frameworks

Keep CE-related laws dynamic by conducting **biennial policy reviews** in consultation with industry players, civil society organizations, and environmental experts to address new waste streams, emerging industries, and global best practices.

The research confirms that a well-planned and rigorously implemented circular economy strategy in India is not just an environmental necessity but also an economic opportunity. By closing material loops, improving resource efficiency, and mainstreaming circular business models, India can carve a pathway towards a climate-resilient, resource-secure, and prosperous future.

References

- Andrew Morlet, A. A. (2016). *Circular economy in India: Rethinking growth for long-term prosperity*. Scotland: Ellen MacArthur Foundation.
- Ellen MacArthur Foundation, Circular Economy in India: Rethinking growth for long-term prosperity, 2016, http://www.ellenmacarthurfoundation.org/publications/.
- Bherwani a, N. N. (2022). Application of circular economy framework for reducing the impacts of climate change .
- Bressanelli., P. M. (n.d.). Challenges in supply chain redesign for the Circular Economy: a literature review and a multiple case study. International Journal of Production Research 57(23), 7395–7422. https://doi.org/ 10.1080/00207543.2018.1542176.
- Busu, M. a. (2019). Sustainability of circular economy indicators and their impact on economic growth of the European Union. *Sustainability*. 11(19), 5481.
- Chen L, M. G. (2022). Strategies to achieve a carbon neutral society: a review. *Environ Chem Lett.* https://doi.org/10.1007/s10311-022-01435-8
- Chioatto E, S. P. (2022). Transition from waste management to circular economy: the European Union roadmap. *Environ Dev Sustain*. https://doi.org/10.1007/s10668-021-02050-3
- (2023). *Circular economy indicators*. Eurostat. Retrieved March 27, 2023, from https://ec.europa.eu/eurostat/web/circular economy/database
- De Pascale A, A. R.-D. (2021). A systematic review for measuring circular economy: 61 indicators. *J Clean Prod*. https://doi. org/ 10. 1016/j. jclepro.2020.124942
- Durán-Romero G, L. A. (2020). Bridging the gap between circular economy and climate change mitigation policies through eco- innovation and Quintuple Helix Model. *Technol Forecast Soc Chang*. https://doi.org/10.1016/j.techfore.2020.120246
- Fiksel, J. S. (2021). Steps toward a resilient circular economy in India. *Clean Techn Environ Policy* 23, 203-218.

- Gascia-Madurga M.-A., G.-M. D.-d.-F.-N.-A. (2022). Circular economy and public policies in the face of the new normality. *Global Nest*, 14.
- Geissdoerfer, M. S. (2017). The Circular Economy A new sustainability paradigm? *Journal of Cleaner Production*, 143.
- H. Bherwani, A. D. (2021). Bow ties in process safety and environmental management, in: Valuation of Environmental Externalities-a Tool for Sustainability. *CRC Press Taylor & Francis Group*, 343.
- H. Sridevi, K. S., K. Shreejith, T.V. Ramachandra (2014). Comparative analysis of greenhouse gas emissions from major cities of India. *Int. J.Renew. Energy Environ. Eng.* 2(1), 1-6.
- J. Fiksel, P. S. (2021). Steps toward a resilient circular economy in India, Clean Technol. *Environ. Policy*, 23.
- Kurniawan TA, L. X. Liang X, O'Callaghan E, Goh H, Othman MHD, Avtar R, Kusworo (2022). *Sustainability*. https://doi.org/10.3390/su14042374
- M. Balasubramanian, V. B. (2012). Climate change and its impact on India . *IUP J. Environ.Sci*, 31-46.
- Malu, D. (2025, March 5). *Extended Producer Responsibility in India*. Retrieved from Climeto: https://climeto.com/extended-producers-responsibility-epr-in-india-a-complete-guide-for-businesses/#:~:text=In%20India%2C%20EPR%20is%20a,%2C%20recycling%2C%20an d%20responsible%20disposal.
- Masi D., D. S. (2017). Supply chain configurations in the circular economy: A systematic literature review. . *Sustainability*, 9. 1602. https://doi.org/ 10.3390/su9091602.
- P, Fragkos. (2022). Analysing the systemic implications of energy efficiency and circular economy strategies in the de-carbonisation context. *AIMS Energy*, 10:191–218.
- Robaina, M. V. Villar, J., & Pereira, E. T. (2020). The determinants for a circular economy in Europe. Environmental Science and Pollution Research. *Environmentwal Science and Pollution Research*, 27,12566–12578.
- Su C, U. F. (2021). Circular economy for clean energy transitions: a new opportunity under the COVID-19 pandemic. . *Appl Energy*. https://doi.org/10.1016/j.apenergy.2021.116666
- T.O. Wiedmann, H. M. (2015). The Material Footprint of nations. *Proc. Natl.Acad.*
- (2023). The circularity gap report 2023. Circle Economy. from https://www.circularity gap.world/2023#download

UNEP. (2024). India at a Glance. Sustainable Consumption and Production Hotspots Analysis Tool (SCP-HAT). UN Life Cycle Initiative, International Resource Panel, One Planet Network. Paris. Available at http://scp-hat.lifecycleinitiative.org/countries-at-a-glance/

OECD. (2020), The circular economy in cities and regions: Synthesis report, OECD Urban Studies, OECD Publishing, Paris, https://doi.org/10.1787/10ac6ae4-en



DELHI TECHNOLOGICAL UNIVERSITY

(Formerly Delhi College of Engineering)
Shahbad Daulatpur, Main Bawana Road, Delhi-110042, India

PLAGIARISM VERIFICATION

Title of the thesis:The Impact of Circular economy on GHG Emissions and GDP in India
Total Pages38 Name of the Scholar Vishal Chadha
Supervisor
Dr. Vandita Sahay
Department:USME, Delhi Technological University
This is to report that the above thesis was scanned for similarity detection. Process and outcome is given below:
Software used: Turnitin, Similarity Index: 9%, Total Word Count: 6,975
Date:
Candidate's Signature Signature of Supervisor



DELHI TECHNOLOGICAL UNIVERSITY

(Formerly Delhi College of Engineering)

Shahbad Daulatpur, Main Bawana Road, Delhi-110042, India

CERTIFICATE OF FINAL THESIS SUBMISSION

1.	Name:Vishal Chadha					
2.	Roll No:23/MAE/38					
3.	Thesis Title:The Impact of Circular Economy on GHG E	miss	ions and GD	P in India		
	Degree for which thesis is submitted: Master of Arts in Economics Faculty of the University to which the thesis is submitted:Dr. Puneet Arora					
6.	Thesis Preparation Guide was referred to for preparing the thes	sis.	YES[]	NO[]		
7.	Specifications regarding thesis format have been closely follow	ved	YES []	NO[]		
8.	The contents of the thesis have been organized based on the gu	ideli	ines YES []	NO[]		
9.	The thesis has been prepared without resorting to plagiarism.		YES[]	NO[]		
10.	All sources used have been cited appropriately.		YES[]	NO[]		
11.	The thesis has not been submitted elsewhere for degree a degree	ee.	YES[]	NO[]		
12.	Submitted 2 spiral bound copies plus one CD.		YES []	NO[]		
	(Signature of Supervisor) (Sig	gnatu	ure of Candidate)			
	Name: Dr. Vandita Sahay Nam	me:	Vishal Chadha			



DELHI TECHNOLOGICAL UNIVERSITY

(Formerly Delhi College of Engineering)
Shahbad Daulatpur, Main Bawana Road, Delhi-110042, India

CERTIFICATE OF THESIS SUBMISSION FOR EVALUATION

1.	Name:Vishal Chadha					
2.	Roll No:23/MAE/38					
3.	Thesis Title: The Impact of Circular Economy on GHG Emissions and GDP in India					
4.	Degree for which thesis is submitted:Masters of Arts in Economics					
5.	Faculty of the University to which the thesis is submitted:Dr. Pune	et Arora				
6.	Thesis Preparation Guide was referred to for preparing the thesis.	YES []	NO[]			
7.	Specifications regarding thesis format have been closely followed	YES[]	NO[]			
8.	The contents of the thesis have been organized based on the guidelin	es YES[]	NO[]			
9.	The thesis has been prepared without resorting to plagiarism.	YES[]	NO[]			
10.	All sources used have been cited appropriately.	YES[]	NO[]			
11.	The thesis has not been submitted elsewhere for degree a degree.	YES[]	NO[]			
12.	Submitted 2 spiral bound copies plus one CD.	YES[]	NO[]			

(Signature of Candidate)