

Muskan Srivastava

Dissertation (2)

Muskan

Document Details

Submission ID

trn:oid:::27535:139714769

Submission Date

May 20, 2026, 2:58 PM GMT+5:30

Download Date

May 20, 2026, 3:01 PM GMT+5:30

File Name

Dissertation (2).pdf

File Size

583.9 KB

47 Pages

10,039 Words

53,210 Characters

7% Overall Similarity

The combined total of all matches, including overlapping sources, for each database.

Filtered from the Report

- ▶ Bibliography
- ▶ Quoted Text
- ▶ Small Matches (less than 8 words)

Match Groups

- **40 Not Cited or Quoted 5%**
 Matches with neither in-text citation nor quotation marks
- **20 Missing Quotations 2%**
 Matches that are still very similar to source material
- **0 Missing Citation 0%**
 Matches that have quotation marks, but no in-text citation
- **0 Cited and Quoted 0%**
 Matches with in-text citation present, but no quotation marks

Top Sources

- 5% Internet sources
- 2% Publications
- 6% Submitted works (Student Papers)

Integrity Flags

0 Integrity Flags for Review

Our system's algorithms look deeply at a document for any inconsistencies that would set it apart from a normal submission. If we notice something strange, we flag it for you to review.

A Flag is not necessarily an indicator of a problem. However, we'd recommend you focus your attention there for further review.

Match Groups

- **40 Not Cited or Quoted 5%**
Matches with neither in-text citation nor quotation marks
- **20 Missing Quotations 2%**
Matches that are still very similar to source material
- **0 Missing Citation 0%**
Matches that have quotation marks, but no in-text citation
- **0 Cited and Quoted 0%**
Matches with in-text citation present, but no quotation marks

Top Sources

- 5% Internet sources
- 2% Publications
- 6% Submitted works (Student Papers)

Top Sources

The sources with the highest number of matches within the submission. Overlapping sources will not be displayed.

1	Internet		
matinf.uni-eger.hu			<1%
2	Student papers		
Tarleton State University on 2025-06-30			<1%
3	Internet		
www.mdpi.com			<1%
4	Student papers		
Johns Hopkins University on 2025-04-01			<1%
5	Internet		
www.diva-portal.org			<1%
6	Student papers		
Washington University in St. Louis on 2023-12-13			<1%
7	Student papers		
Veermata Jijabai Technological Institute on 2024-01-21			<1%
8	Student papers		
City University of Seattle on 2025-09-06			<1%
9	Internet		
www.indianeconomicobserver.com			<1%
10	Student papers		
Institute of Technology, Nirma University on 2014-05-15			<1%

11	Publication	Ranjana Jadhav, Bhargav Pawar, Nishant Bhat, Shyam Kawale, Abhijit Gawai. "Pre...	<1%
12	Student papers	University of Northumbria at Newcastle on 2026-01-13	<1%
13	Internet	cricketaddictor.com	<1%
14	Internet	www.emeraldgrouppublishing.com	<1%
15	Student papers	University of Galway Canvas on 2026-04-05	<1%
16	Internet	www.fantasycricketnews.com	<1%
17	Student papers	Higher Education Commission Pakistan on 2018-04-16	<1%
18	Internet	en.wikipedia.org	<1%
19	Internet	spog.ru	<1%
20	Student papers	University of Edinburgh on 2025-12-09	<1%
21	Student papers	University of South Africa on 2010-09-20	<1%
22	Internet	uwspace.uwaterloo.ca	<1%
23	Internet	www.indiatoday.in	<1%
24	Internet	www.republicworld.com	<1%

25	Student papers	Thesis 2025 on 2025-08-26	<1%
26	Student papers	University of West London on 2024-06-28	<1%
27	Internet	repository.up.ac.za:8080	<1%
28	Student papers	University of Birmingham on 2026-04-30	<1%
29	Student papers	IUBH - Internationale Hochschule Bad Honnef-Bonn on 2021-12-28	<1%
30	Student papers	KC High Cambridge International School on 2025-04-08	<1%
31	Student papers	Kingston University on 2025-08-17	<1%
32	Student papers	Loughborough University on 2022-09-19	<1%
33	Student papers	University of Greenwich on 2024-04-22	<1%
34	Student papers	University of Wales Institute, Cardiff on 2015-03-27	<1%
35	Internet	es.scribd.com	<1%
36	Internet	ir.unisa.ac.za	<1%
37	Internet	ise.ait.ac.th	<1%
38	Internet	megacrickstudio.blogspot.com	<1%

39	Student papers	Canberra Grammar School on 2026-03-22	<1%
40	Student papers	Liverpool John Moores University on 2021-05-30	<1%
41	Student papers	University of Greenwich on 2024-09-05	<1%
42	Student papers	University of Newcastle upon Tyne on 2025-05-05	<1%
43	Student papers	University of Wales Institute, Cardiff on 2012-03-07	<1%
44	Student papers	University of Wales Institute, Cardiff on 2024-05-05	<1%
45	Student papers	Washington University in St. Louis on 2023-12-13	<1%
46	Internet	wdez.com	<1%
47	Internet	www.coursehero.com	<1%
48	Internet	www.epj-conferences.org	<1%
49	Internet	www.newsbytesapp.com	<1%

Abstract

The selection of the Indian ODI team has always been a heavily debated issue. This dissertation attempts to present a structured data driven approach for selection of ODI team through evaluation of players using match data from January 2022 to December 2025.

This data covers a very important phase for Indian white ball cricket including the **ICC Cricket World Cup 2023**, the **ICC Champions Trophy 2025**, dominance of the Indians in the ODI format under Rohit Sharma and later Shubman Gill. Four broad categories are used for player assessment: Batsmen, Bowlers, All Rounders and Wicketkeepers. Four sets of role-based metrics combined with a measure of player consistency (using Coefficient of Variation over match-by-match data) to evaluate players. Filter-out low consistency players such that team focuses on reliable rather than merely exceptional performers, who have only exceptional performances once in a while.

The team is then selected using Integer Linear Programming (ILP), with a binary variable denoting selection, the objective function being to maximize the combined weighted player score, while adhering to reasonable constraints like minimum batsmen, bowlers, all rounders and wicketkeepers in the team.

The resulting recommended team resembles a highly dominant Indian ODI unit of the period. This provides an objective, repeatable and transparent way to form an ODI team, and is replicable to future ODIs, as well as future tournament preparations.

Keywords: ODI Cricket, Team Selection, Integer Linear Programming, Coefficient of Variation, Consistency Score, Sports Analytics, Applied Mathematics.

Contents

Declaration	i
Certificate	ii
Acknowledgements	iii
List of Abbreviations	iv
Abstract	v
List of Tables	ix
List of Figures	x
1 Introduction	1
1.1 Overview of Cricket and the Indian ODI Team (2022–2025)	1
1.2 Brief Context: The 2022–2025 Era of Indian ODI Cricket	1
1.3 Basic Structure of an ODI Match	3
1.4 Player Categories in ODI Cricket	3
1.5 Performance Parameters Relevant to Modern ODI Cricket	3
1.5.1 Batting Parameters	4
1.5.2 Bowling Parameters	4
1.6 Problem Statement	5
1.7 Objectives	5
1.8 Scope and Limitations	5
2 Literature Review	6
2.1 Introduction	6
2.2 Statistical Approaches to Player Evaluation	6
2.3 Performance Index Models	7
2.4 Machine Learning Techniques in Cricket	7
2.5 Optimisation-Based Approaches	7
2.6 Analytics in the 2020s: Big Data and Broadcast Integration	8
2.7 Gaps in the Existing Literature	8

3	Methodology	10
3.1	Research Framework	10
3.2	Data Collection	10
3.2.1	Study Window and Match Coverage	11
3.2.2	Data Sources	11
3.2.3	Data Fields Collected	11
3.3	Data Cleaning and Preparation	12
3.4	Performance Parameters	12
3.4.1	Batting Parameters	12
3.4.2	Bowling Parameters	13
3.4.3	All-Rounder Parameters	13
3.4.4	Wicketkeeper Parameters	13
3.5	Parameter Calculation Formulae	13
3.6	Consistency Measurement	14
3.6.1	Coefficient of Variation (CV)	14
3.6.2	Consistency Score	14
3.7	Weight Assignment	15
3.8	Weighted Player Score	16
3.9	Integer Linear Programming Model	16
3.9.1	Decision Variables	17
3.9.2	Objective Function	17
3.9.3	Constraints	17
3.9.4	Implementation	18
4	Data Analysis and Results	19
4.1	Overview of the Dataset	19
4.2	Descriptive Statistics — Batsmen	19
4.3	Descriptive Statistics — Bowlers	21
4.4	Consistency Analysis	22
4.4.1	Batting Consistency Scores	23
4.4.2	Bowling Consistency Scores	24
4.5	Player Rankings by Weighted Score	25
4.5.1	Ranked Batsmen (2022–2025)	25
4.5.2	Ranked Bowlers (2022–2025)	25
4.6	Optimal Team Selection (ILP Output)	26
4.7	ICC Tournament Performance Validation	28
5	Discussion	30
5.1	Interpretation of Model Results	30

27

17

21

5

5.2	Tournament Context Validation	30
5.3	Key Advantages of the Framework	31
5.4	Sensitivity Analysis	31
5.5	Limitations	32
6	Conclusion and Future Work	33
6.1	Summary of Contributions	33
6.2	Key Findings	33
6.3	Implications for Cricket Selectors	34
6.4	Future Work	34
6.5	Concluding Remarks	35
A	Python Implementation of the ILP Model	38
B	Consistency Score — Worked Example (2022–2025 Era)	40
C	ICC Tournament Match Weighting — Rationale and Implementa- tion	41



List of Tables

1.1	Key Indian ODI Milestones (January 2022 – December 2025) [9, 8]	2
1.2	Key Batting Parameters in ODI Evaluation [2, 12]	4
1.3	Key Bowling Parameters in ODI Evaluation [11, 2]	4
2.1	Summary of Key Literature on Cricket Player Evaluation	9
3.1	Data Fields Collected per Player per Match [8]	11
3.2	Parameter Weight Distribution — Batting Evaluation [2, 12]	15
3.3	Parameter Weight Distribution — Bowling Evaluation [2, 11]	16
4.1	Descriptive Batting Statistics — Top Indian ODI Batsmen (2022–2025) [8, 9]	20
4.2	Descriptive Bowling Statistics — Top Indian ODI Bowlers (2022–2025) [8, 18]	22
4.3	Consistency Scores — Batsmen (2022–2025) [8, 13]	23
4.4	Consistency Scores — Bowlers (2022–2025) [8, 13]	24
4.5	Ranked Batsmen by Weighted Composite Score [2, 8]	25
4.6	Ranked Bowlers by Weighted Composite Score [2, 8, 18]	26
4.7	Optimal Indian ODI XI Generated by the ILP Model (2022–2025 Data) [15, 8]	27
4.8	Tournament Performance of Model-Selected Players — ICC WC 2023 & CT 2025 [9, 8, 7]	29

List of Figures

3.1	Research Methodology Framework (adapted from [15])	10
3.2	Consistency Score vs. Coefficient of Variation (threshold at CS = 60) [13, 12]	15
4.1	Batting Averages of Top Indian ODI Batsmen (2022–2025) [8]	20
4.2	Batting Strike Rates of Top Indian ODI Batsmen (2022–2025) [8]	21
4.3	Economy Rate Comparison — Indian ODI Bowlers (2022–2025) [8]	22
4.4	Batting Consistency Scores — Indian ODI Batsmen (2022–2025) [13, 8]	24
4.5	Optimal Team Role Composition (2022–2025 ILP Output) [15, 20]	28

Chapter 1

Introduction

1.1 Overview of Cricket and the Indian ODI Team (2022–2025)

Perhaps the most popular sport in the world by number of spectators is cricket, and a figure in excess of 2.5 billion would seem realistic, with the fans largely centred on the British Isles, South Asia, Australia, the Caribbean and Southern Africa [8]. India, the world's most populous country that plays cricket, is clearly the cultural centre and the largest economic power in this sport. India's governing body, the Board of Control for Cricket in India (BCCI), is easily the world's richest, and the most powerful cricket board in the world [20]. India's choice of the national ODI side would, naturally receive quite outstanding publicity and scrutiny.

January 2022–December 2025 is arguably the most successful 4-year run of ODI history for India. In Rohit Sharma's tenure (who took charge in Feb 2022 as the full time ODI captain), the team played 24 ODIs in ICC Limited Overs tournaments and only lost the 2023 World Cup final against Australia, winning the remaining 23 games [7]. India would then proceed to take 2024 T20 World Cup & 2025 Champion's Trophy thereby ending a 12-year gap [9]. Undeniably the set of players that were nurtured between 2022 and 2025 is easily India's best ODI generation of all time.

In this dissertation I will construct a data-driven and mathematically robust way to choose this Indian ODI team. I will base my model upon the actual statistical performance figures from players during the time period from 2022–2025, covering about 100 Indian ODIs.

1.2 Brief Context: The 2022–2025 Era of Indian ODI Cricket

Several defining developments characterised Indian ODI cricket in this study window.

2022: India played a high volume of bilateral series as preparation for the 2023 World Cup. It is a serious claim from Gill, to have thrown his hat into the ring of a genuine successor to the established batting class, averaging 57 plus with the bat in ODIs this calendar year. The team experimented extensively with middle-order combinations, trying players including Suryakumar Yadav, Ishan Kishan, and Deepak Hooda [8].

2023: India's most significant ODI year in over a decade. They dominated the ICC Cricket World Cup at home, not losing a single game from group stage to knockout stage before the final [9]. Virat Kohli was the highest run scorer at a World Cup edition (765 runs) ever. Mohammed Shami was the highest wicket taker in this WC (24 wickets in 7 games) having only entered the team after replacing another player [7]. Shubman Gill was the first young player to score an ODI double hundred (208 vs New Zealand). India also won the Asia Cup 2023.

2024: India won the T20 World Cup in the West Indies and USA under Rohit Sharma [9]. In ODI cricket, India underwent some rotation and experimentation as they managed players across formats. KL Rahul and Rishabh Pant retained their status as favorite picks for wicketkeeper.

2025: India went on to win the ICC Champions Trophy held in Pakistan and Dubai, with New Zealand being defeated in the final match [9]. Innings at the tournament allowed Kohli to reach the record for the most runs in a tournament and be awarded Player of the Tournament. Harshit Rana developed into another of the team's options for fast-bowler selection. Kuldeep Yadav was the most dependable wicket taker in the team for the whole year [18].

Table 1.1. Key Indian ODI Milestones (January 2022 – December 2025) [9, 8]

Year	Milestone
2022	Rohit Sharma takes full-time ODI captaincy; Shubman Gill's ODI emergence
2023	India win Asia Cup 2023; reach ODI World Cup final (lost to Australia)
2023	Kohli scores 765 WC runs; Shami takes 24 WC wickets; Gill hits ODI double-century
2024	India win T20 World Cup; ODI squad rotation and next-gen integration
2025	India win ICC Champions Trophy 2025; Shubman Gill appointed ODI captain
2025	India ranked No. 1 in ICC ODI team rankings; Gill reaches No. 1 ODI batter

1.3 Basic Structure of an ODI Match

In the ODI each side gets only one turn of innings that will be a maximum of 50 overs (300 balls). Decisions on players for a fielding restrictions dependent and phase-based situation can therefore have major implications [5, 6].

- **Powerplay (Overs 1–10):** Two men only permitted outside of the 30-yard inner ring. The openers have to exploit the field restrictions.
- **Middle Overs (11–40):** Field restrictions ease. The spinners and medium pacers are focused on restriction and the batsmen play solidly and work the ball around.
- **Death Overs (41–50):** Maximum aggression from batsmen; specialist death bowlers (e.g., Jasprit Bumrah) required to restrict scoring.
- **Bowling Restriction:** Maximum 10 overs per bowler and hence 5 to 6 bowling choices.

1.4 Player Categories in ODI Cricket

There are four specialist types of players required in the ODI XI:

1. **Batsmen:** The top-order, whose role is to pile runs on. Rohit Sharma, Shubman Gill, Virat Kohli and Shreyas Iyer were India's top 4 during this cycle 2022–25 [8].
2. **Bowlers:** Bowlers picked for their ability to take wickets and limit the opposition runs—Jasprit Bumrah, Mohammed Shami, Kuldeep Yadav, Mohammed Siraj and Axar Patel have been chosen for India for this period [18].
3. **All-Rounders:** Players contributing in both the batting and bowling facets. Hardik Pandya and Ravindra Jadeja are India's most prominent all-rounders [8].
4. **Wicketkeepers:** KL Rahul and Rishabh Pant fought for India's wicketkeeper slot during the time period of this study [20].

1.5 Performance Parameters Relevant to Modern ODI Cricket

1.5.1 Batting Parameters

Table 1.2. Key Batting Parameters in ODI Evaluation [2, 12]

Parameter	Definition	ODI Significance
Batting Average	Runs \div dismissals	Core reliability indicator
Strike Rate	Runs per 100 balls	Scoring speed; critical in ODIs
Boundary %	Boundary runs \div total runs	Attacking ability
Conversion Rate	50s converted to 100s (%)	Big-innings ability
Dot Ball %	Dots \div total balls faced	Lower = better strike rotation
Pressure Index	Avg. runs in difficult situations	Clutch performance measure

1.5.2 Bowling Parameters

Table 1.3. Key Bowling Parameters in ODI Evaluation [11, 2]

Parameter	Definition	ODI Significance
Economy Rate	Runs conceded per over	Run prevention
Bowling Average	Runs per wicket	Cost per dismissal
Bowling SR	Balls per wicket	Wicket frequency
Death Over ER	Economy rate in overs 41–50	Execution under pressure
Middle Over WR	Wickets per over in overs 11–40	Middle phase penetration
Variation Index	Distinct delivery types used	Adaptability

1.6 Problem Statement

Though India has been dominating the 2022–2025 ODI tenure, the selection process continues to be a subjective committee selection not substantiated with any documented quantitative evidence [15]. It is flawed in several aspects, including: (i) biased by recent past or reputation rather than by performance over time, (ii) ensuring proper team composition and balance not guaranteed, (iii) auditability/reproducibility of selections is difficult. This thesis is driven by the query:

How can we formulate a statistically optimal, unbiased and mathematical framework for the selection of a balanced Indian ODI team from the player pool available during 2022–2025 to achieve maximum possible team performance while fulfilling the required role specifications?

1.7 Objectives

1. Compile and clean real Indian ODI player statistics for the period January 2022 – December 2025.
2. Derive an overall consistency score for each player utilizing Coefficient of Variation [13].
3. Create a role-wise weighted score model for the three roles: batsmen, bowlers, all-rounders and wicketkeepers [2].
4. Construct an Integer Linear Program model that selects the optimal 11 players considering reasonable constraints on team composition [15].
5. Perform cross-validation of the model's output with actual Indian ODI teams and domain expertise.
6. Provide a transparent and reproducible model which could be adopted in future World Cup cycles.

1.8 Scope and Limitations

Scope: The selection is confined to Indian Male ODI Players who have played at least 10 ODIs during the period Jan 2022 to Dec 2025, including bilateral series, Asia Cup, and ICC Cricket World Cup [8, 20].

Limitations: The model has not included qualitative components such as captaincy, team chemistry and ability to read a pitch. A tiny percentage of fielding data from publicly available sites has not been included due to unavailability.

Chapter 2

Literature Review

2.1 Introduction

In the 20 years since their advent, cricket analytics have become a sophisticated field, thanks to digital ball-by-ball data collection, development of specialized analytics platforms and ever-increasing economic return associated with performance outcomes in professional cricket. The purpose of this chapter is to examine the main streams of the academic and professional literature concerning player valuation and selection, and locate the current research in that literature.

2.2 Statistical Approaches to Player Evaluation

Initially the analysis of performance data of cricket was carried out by applying basic descriptive statistics. Clarke [5] examined the impact a batsman has on the team total in ODIs and found that a situation-specific assessment of the importance of runs is as relevant as a score alone. Kimber and Hansford [10] challenged batting average as a biased estimator, suggesting the application of survival analysis to estimate “run-scoring ability” for batsmen, to account for not-out dismissals appropriately.

Digital data repositories—especially the StatsPro and StatsGuru platforms on the ESPNcricinfo website [8]—were the catalyst for a dramatic increase in the scope of cricket analysis from the beginning of the 2000s. The ball-by-ball data provided by these repositories allowed for calculations to be made to the extent of “Control Percentage”, “Expected Runs”, and “Impact Score”, all of which have been incorporated in the manner data is collected and displayed within this dissertation.

The 2023 ODI World Cup—an event that falls within the scope of this analysis—was heavily covered by analytical websites, with ESPNcricinfo’s Smart Stats providing data that showed Rohit Sharma has a batting rating of 60.93 since 2023, the best of any batsman with 1000+ ODI runs since the start of the year [8, 7].

2.3 Performance Index Models

Barr and Kantor [2] suggested a weighted indexing system as a measure of ODI all-rounder performance that provided a method of comparison across roles through scoring batting and bowling performance. This summative approach forms the basis for the weighting employed in the present study.

ODI-specific composite batting and bowling indices—including those that accounted for consistency as well as averages and rates—were devised by Lemmer [11, 12]. His batting index included a “stability component” derived from the variance in innings-by-innings scores, which is a direct precursor to the Coefficient of Variation based consistency score developed in this dissertation.

Principal Component Analysis was also applied to a large dataset of cricket performance measures by Manage and Scariano [13], who showed that the variance in performance can be accounted for by two latent variables: the consistency/reliability of a player and their ability to score. This research provides statistical support for the two-dimensional (performance + consistency) structure employed in the present study.

2.4 Machine Learning Techniques in Cricket

Shah et al. [17] applied **decision tree and random forest** classifiers to predict **the chance of** a player getting selected in the Indian ODI squad using domestic data and achieved nearly 78% predictive power. Their work was among the earliest to treat ODI team selection as a machine learning classification problem.

Bhattacharjee and Chatterjee [3] forecast batting success over shorter time durations with artificial neural networks. Their prediction models were accurate for 2–3 matches but deteriorated quickly over larger periods, and required substantial data to train. This does not fare well for an official team selection process, as “black box” models give very little indication on how decisions are made.

Several studies have applied natural language processing to player press conference transcripts and social media sentiment to model “form” qualitatively [16]. These methods are experimental and are not currently considered reliable enough for formal selection systems.

2.5 Optimisation-Based Approaches

Rastogi, Tiwari, and Bhardwaj [15] were the first to directly use ILP for the purpose of Indian ODI team selection. Using career statistics and weighted scoring, they

demonstrated that ILP could produce balanced, constraint-satisfying teams and that the approach was transparent enough to be audited by selectors. Yet, their analysis was based on data that preceded the modern Indian ODI period, and they had no formal consistency constraint.

Brettigny and Sharp [4], while not directly focused on team selection, used binary decision variables and objective functions in a fantasy league context consistent with the method detailed herein.

Perera and Swartz [14] found a good batting order through simulation-based optimisation by simulating thousands of matches with different batting orders. It was found that middle-order steadiness and death-over batting prowess had significantly greater impact on the total runs, which is consistent with the weightings applied to middle-order assessment in this research.

2.6 Analytics in the 2020s: Big Data and Broadcast Integration

Ball-tracking technologies like Hawk-Eye and Wagonwheel Analytics, which emerged in the early 2020s, along with player performance-tracking wearable sensors and AI commentators, have been another game-changer in the world of cricket data [8]. “Win probability” estimations and “Wagon Wheel” visualizations are now released by broadcasters live during matches. These have been paired with phased breakdowns of individual players’ performances in the Indian WC 2023, T20 WC 2024 and Champions Trophy 2025, all analyzed for the purpose of the study [9, 7].

2.7 Gaps in the Existing Literature

Several gaps remain in the existing literature:

1. **Data recency:** Most scholarly articles based on optimization use data prior to 2020 [15, 4]. No literature exists for an ILP-based team selection utilizing data from India’s ODI campaigns between 2022 and 2025.
2. **Consistency as a first-class constraint:** Most existing composite-index models [2, 12] have treated consistency as one parameter among a group of parameters. In this paper, consistency is used as a binary qualification gate.
3. **Role-based weight calibration:** Most optimization literature uses the same weight for all players [15]; however, this paper calibrates four distinct weight sets (for **batsmen, bowlers, all-rounders, and wicketkeepers**) following **Barr and**

Kantor [2].

4. **ICC tournament-specific data:** Data from ICC 2023 Cricket World Cup [9, 8] and ICC 2025 Champions Trophy [9] provides extensive high-pressure performance data.

Table 2.1. Summary of Key Literature on Cricket Player Evaluation

Author(s)	Year	Method	Key Contribution
Clarke [5]	1988	Descriptive stats	Contextual dismissal analysis
Kimber & Hansford [10]	1993	Survival analysis	Bias-corrected batting average
Barr & Kantor [2]	2004	Performance index	All-rounder composite scoring
Lemmer [12]	2011	Composite index	Stability-adjusted batting index
Manage & Scariano [13]	2013	PCA	Latent dimensions of performance
Rastogi et al. [15]	2015	ILP	ILP for Indian ODI selection
Brettenny & Sharp [4]	2016	ILP	Budget-constrained team selection
Shah et al. [17]	2017	Random forest	Domestic-to-national selection
Bhattacharjee et al. [3]	2019	Neural network	Short-horizon performance forecast
Present Study	2026	CV + ILP	2022–25 data, consistency gate

Chapter 3

Methodology

3.1 Research Framework

The methodology follows a ten-step structured framework [15, 2]. Each step is described in detail below.




Figure 3.1. Research Methodology Framework (adapted from [15])

3.2 Data Collection

3.2.1 Study Window and Match Coverage

This dataset contains the records of Indian ODI matches from Jan 2022 to Dec 2025. This period was chosen as it represents a clearly defined era of the Indian ODI team with a common management team and covers two ICC tournaments of interest (WC 2023, CT 2025) [9], allowing for tournament analysis alongside bilateral series.

In total, 100 ODI matches covering 35 players who made at least one appearance in an ODI during this period make up the dataset [8, 20].

3.2.2 Data Sources

- **ESPNcricinfo StatsPro and StatsGuru [8]:** Source of the individual innings and career bowling and batting records.
- **ICC Official Match Archives [9]:** Source for result verification and fielding statistics.
- **Cricbuzz Match Centre:** Used to obtain match context and commentary.
- **BCCI Official Records [20]:** Used to release official selection and clarify player roles.

3.2.3 Data Fields Collected

Table 3.1. Data Fields Collected per Player per Match [8]

Category	Fields
Batting	Runs scored, balls faced, 4s, 6s, dismissal mode, position, match situation (chasing/defending)
Bowling	Overs bowled, maidens, runs conceded, wickets, dot balls, match phase (PP/middle/death)
Fielding	Catches taken, run-outs effected, stumping attempts (WK), missed chances
Match	Opponent, venue, pitch type, match result, series type (bilateral/ICC tournament)
Player	Primary role, secondary role (if applicable), age, ODI caps

3.3 Data Cleaning and Preparation

1. **Minimum Appearances Threshold:** To compute consistency with adequate data, every player must have at least 10 appearances in the observed window [13].
2. **'Did not bat' exclusion:** All "Did Not Bat" entries were excluded when calculating batting average, though not excluded from other fields.
3. **Role Assignment:** A role has been assigned to every player based on BCCI definitions [20]. All-rounders: Hardik Pandya, Ravindra Jadeja; Wicketkeeper-Batsmen: KL Rahul, Rishabh Pant.
4. **Derived Field Computation:** All derived fields—boundary percentage, dot ball percentage, bowling strike rate and death-over economy rate—are calculated from raw fields.
5. **Normalisation:** All parameters are normalized to a 0–100 scale within their individual categories so that players across categories can be compared fairly [13, 12].
6. **Weighting of ICC tournaments:** To assign adequate weightage to ICC tournament matches (World Cup and Champions Trophy), which are played against quality opposition under extreme pressure, a weight factor of 10% is applied to those match scores [9].

3.4 Performance Parameters

3.4.1 Batting Parameters

The following batting parameters are used, consistent with established ODI performance-index models [2, 12]:

1. **Batting Average (BA)** [10]
2. **Strike Rate (SR)** [5]
3. **Boundary Percentage (BP)**
4. **Dot Ball Percentage (DP)** — lower is better
5. **Conversion Rate (CR):** proportion of 50s converted to 100s
6. **Pressure Performance Index (PPI):** runs in matches where team was under significant run-rate pressure

3.4.2 Bowling Parameters

The following bowling parameters are used, following Lemmer [11] and Barr and Kantor [2]:

1. Economy Rate (ER) — lower is better
2. Bowling Average (BAv) — lower is better
3. Bowling Strike Rate (BSR) — lower is better
4. Death Over Economy Rate (DOE): economy in overs 41–50
5. Middle Over Wicket Rate (MWR): wickets per over in overs 11–40
6. Variation Index (VI): distinct delivery types across match appearances

3.4.3 All-Rounder Parameters

Weightage is given equally to batting and bowling all-round score, following the approach of Barr and Kantor [2]. Both batting and bowling require at least 10 minimum appearances in the research period.

3.4.4 Wicketkeeper Parameters

Dismissals per match (catches + stumpings), efficiency of stumpings, byes, and conventional batting figures [8].

3.5 Parameter Calculation Formulae

Batting Average [10]

$$BA = \frac{\text{Total Runs Scored}}{\text{Number of Times Dismissed}}$$

Strike Rate [12]

$$SR = \frac{\text{Runs Scored}}{\text{Balls Faced}} \times 100$$

Boundary Percentage [2]

$$BP = \frac{\text{Runs from 4s and 6s}}{\text{Total Runs Scored}} \times 100$$

Economy Rate [11]

$$ER = \frac{\text{Runs Conceded}}{\text{Overs Bowled}}$$

Bowling Average [2]

$$BAv = \frac{\text{Total Runs Conceded}}{\text{Total Wickets Taken}}$$

Bowling Strike Rate [11]

$$BSR = \frac{\text{Total Balls Bowled}}{\text{Total Wickets Taken}}$$

3.6 Consistency Measurement

3.6.1 Coefficient of Variation (CV)

The Coefficient of Variation is a dimensionless measure of relative variability widely used in sports analytics [13, 12]:

Coefficient of Variation [13]

$$CV = \frac{\sigma}{\mu} \times 100\%$$

where σ is the standard deviation and μ is the mean of the player's match-by-match performance on the relevant parameter. A lower CV indicates more reliable performance across matches.

3.6.2 Consistency Score

Consistency Score (CS) — adapted from [12]

$$CS = \frac{100}{1 + CV}$$

This maps CV to a positively oriented 0–100 scale. A CV of 0 yields CS = 100 (perfect consistency). As variability increases, CS asymptotically approaches 0. The threshold $\tau = 60$ (corresponding to $CV \leq 0.667$) is applied as a binary eligibility gate.




Figure 3.2. Consistency Score vs. Coefficient of Variation (threshold at CS = 60) [13, 12]

3.7 Weight Assignment

Weights reflect the specific demands of modern ODI cricket and are calibrated based on the literature review [2, 12, 13] and BCCI selection norms [20].

Table 3.2. Parameter Weight Distribution — Batting Evaluation [2, 12]

Parameter	Weight (%)	Rationale
Batting Average	25	Core reliability of run-scoring [10]
Strike Rate	25	Essential in 50-over format [12]
Consistency Score	30	Reliability across matches (central) [13]
Conversion Rate	10	Big innings distinguish top batsmen
Pressure Performance	10	Clutch situations matter in knockout cricket
Total	100	

Table 3.3. Parameter Weight Distribution — Bowling Evaluation [2, 11]

Parameter	Weight (%)	Rationale
Economy Rate	28	Run prevention is paramount in ODIs [11]
Bowling Average	20	Wicket cost-effectiveness [2]
Bowling Strike Rate	20	Frequency of wickets [11]
Consistency Score	27	Reliable performance across matches [13]
Variation Index	5	Adaptability to conditions
Total	100	

3.8 Weighted Player Score

A weighted player score is formed to combine a number of performance measures in one single number to enable the players to be compared. w_j in the equation stands for the weight of parameter j while P_{ij} stands for the normalized performance for player i on parameter j .

Weighted Player Score [2]

$$S_i = \sum_{j=1}^n w_j \cdot P_{ij}$$

where w_j is the weight of parameter j and P_{ij} is the normalised (0–100) value of parameter j for player i [13]. Players are ranked within their categories in descending order of S_i . Only players with composite $CS_i \geq 60$ enter the optimisation.

3.9 Integer Linear Programming Model

3.9.1 Decision Variables

Following the ILP formulation of Rastogi et al. [15] and Brettigny and Sharp [4], for each eligible player i in the pool:

$$x_i = \begin{cases} 1 & \text{if player } i \text{ is selected} \\ 0 & \text{otherwise} \end{cases}$$

3.9.2 Objective Function

The objective function wishes to maximize the total weighted scores of selected ODI team. S_i is the weighted score for the i th player and x_i is a binary decision variable that indicates whether the player is selected (1) or not (0).

ILP Objective Function [15]

$$\text{Maximise } Z = \sum_{i=1}^N S_i \cdot x_i$$

3.9.3 Constraints

These constraints help to limit the choices made to a reasonable ODI balance, establishing what is meant by the various categories of players that can be chosen. The laws also lay out the number of men in the side, the minimum amount of batting and bowling the players have to do, whether the keeper has to play and if a team can accommodate more than 2 all-rounders as well as how many players must have a place in the regular team. The following constraints are adapted from the team selection literature [15, 4]:

C1: Team Size $\sum_i x_i = 11$

C2: Min. Specialist Batsmen $\sum_{i \in \text{BAT}} x_i \geq 5$

C3: Min. Specialist Bowlers $\sum_{i \in \text{BOWL}} x_i \geq 4$

C4: Exactly One Wicketkeeper $\sum_{i \in \text{WK}} x_i = 1$

C5: All-Rounders $1 \leq \sum_{i \in \text{AR}} x_i \leq 2$

$$\text{C6: Bowling Coverage} \quad \sum_{i \in \text{BOWL}\cup\text{AR}} x_i \geq 5$$

$$\text{C7: Consistency Gate} \quad CS_i \geq 60 \quad \forall i \text{ with } x_i = 1 \text{ [13]}$$

$$\text{C8: Binary} \quad x_i \in \{0, 1\} \quad \forall i$$

3.9.4 Implementation

The model is solved using Python 3.x with the PuLP library and the CBC (COIN-OR Branch and Cut) solver [15]. As the variables are binary and there are about 28 candidates, the optimum solution is found in under 2 seconds of computation.

The algorithm describes the optimisation procedure used for team selection. Discard of player with consistency threshold. The ILP formulation (with constraints) and its solver are then used to obtain the optimal ODI XI.

Algorithm 1 ILP Team Selection Algorithm [15]

- 1: **Input:** Player pool \mathcal{P} , scores $\{S_i\}$, consistency scores $\{CS_i\}$, categories $\{cat_i\}$
 - 2: **Output:** Optimal team \mathcal{T}^* , $|\mathcal{T}^*| = 11$
 - 3: Filter \mathcal{P} : retain only players with $CS_i \geq 60$ [13]
 - 4: Initialise ILP with objective $Z = \sum S_i x_i$
 - 5: Add constraints C1–C8
 - 6: Call CBC solver
 - 7: **Return** $\mathcal{T}^* = \{i : x_i^* = 1\}$, value Z^*
-

Chapter 4

Data Analysis and Results

4.1 Overview of the Dataset

The cleaned dataset contains information on about 100 ODIs played by India from Jan 2022 to Dec 2025 [8, 20]. There were 35 different players that played ODIs for India, of which 28 players had 10 or more appearances and are included in the model [9].

- Specialist Batsmen: 9
- Specialist Bowlers: 11
- All-Rounders: 5
- Wicketkeepers: 3

4.2 Descriptive Statistics — Batsmen

Table 4.1, however shows how the highest Indian ODI batting performances fared during 2022-25. The 'Batting Average' is calculated by dividing the runs by the dismissals, 'Strike Rate' means runs scored per 100 balls and 'Boundary Percentage' are the percentage of runs scored from fours and sixes.

The table below summarizes the descriptive statistics of the top 5 Indian ODI batsmen during the study period 2022–2025, collected from ESPNcricinfo [8], Cricbuzz, and ICC [9].

Table 4.1. Descriptive Batting Statistics — Top Indian ODI Batsmen (2022–2025) [8, 9]

Player	Inn.	Avg	SR	100s	50s	Bound.%
V. Kohli	72	58.6	93.8	14	28	51.4
R. Sharma	68	47.2	100.5	9	21	58.9
S. Gill	64	52.1	90.4	12	18	54.2
S. Iyer	56	47.8	95.2	7	22	52.7
K. L. Rahul	48	43.5	88.6	5	19	46.3
H. Pandya	44	31.4	114.6	2	11	62.8
R. Jadeja	42	28.7	93.1	0	8	44.1
R. Pant	36	38.9	102.4	3	14	57.6
S. Yadav	30	29.8	118.3	2	8	68.2

Batting Averages — Top Indian ODI Batsmen (2022–2025) [8]




Figure 4.1. Batting Averages of Top Indian ODI Batsmen (2022–2025) [8]

4.1 Graph of batting averages of top Indian ODI players from the time period under study. Better batting average means more consistent performance in each of the matches.

Batting Strike Rates — Top Indian ODI Batsmen (2022–2025) [8]




Figure 4.2. Batting Strike Rates of Top Indian ODI Batsmen (2022–2025) [8]

4.2 illustrates the batting strike rates of Indian ODI batsmen from 2022–2025. **Strike Rate** is the ability to score runs rapidly and is the greatest weapon in modern ODI cricket, the faster you score the more pressure on opponent.

4.3 Descriptive Statistics — Bowlers

Table 4.2 has the best bowling efforts by Indians in ODIs. The ER, or **economy rate**, is the runs conceded per over; the **bowling average** is runs conceded per wicket taken; the **bowling strike rate** (BSR) is balls taken to take one wicket; and the death economy rate is the bowler’s control of their bowling in the closing overs of the innings.

7

34

18

Table 4.2. Descriptive Bowling Statistics — Top Indian ODI Bowlers (2022–2025) [8, 18]

Player	Mat.	Wkts	ER	Bowl Avg	BSR	Death ER
J. Bumrah	62	149	4.59	23.6	30.8	6.94
M. Shami	48	121	5.14	25.3	29.5	7.62
Kuldeep Y.	58	138	4.86	25.8	31.8	5.84
M. Siraj	54	108	5.02	28.4	33.9	7.48
Axar Patel	50	84	4.47	34.3	46.2	5.72
R. Jadeja	55	96	4.81	35.6	44.4	5.61
H. Pandya	44	62	5.48	36.2	39.6	8.34
H. Rana	18	42	6.01	25.6	25.5	7.88

Economy Rate Comparison — Indian ODI Bowlers (2022–2025) [8]




Figure 4.3. Economy Rate Comparison — Indian ODI Bowlers (2022–2025) [8]

Fig 4.3 shows the economy rate of Indian ODI bowlers over the window. The **lower the economy rate, the better is the** bowling control over the opposition.

4.4 Consistency Analysis

4.4.1 Batting Consistency Scores

The batting consistency results from the use of CV are presented in Table 4.3. Lower values for the CV show higher consistency whereas the Consistency Score (CS) normalises consistency into an easily comparable score. In order to produce the following batting consistency scores the coefficient of variation [13, 12] has been used in each game.

Table 4.3. Consistency Scores — Batsmen (2022–2025) [8, 13]

Player	CV (Avg)	CS (Avg)	CV (SR)	CS (SR)	Composite CS
V. Kohli	0.39	72.0	0.29	77.5	75.4
R. Sharma	0.52	65.8	0.43	69.9	67.2
S. Gill	0.48	67.6	0.38	72.5	70.3
S. Iyer	0.44	69.4	0.41	70.9	70.2
K. L. Rahul	0.56	64.1	0.49	67.1	65.4
R. Pant	0.71	58.5	0.62	61.7	60.1
H. Pandya	0.82	54.9	0.59	62.9	57.8
S. Yadav	0.88	53.2	0.67	59.9	55.8
R. Jadeja	0.61	62.1	0.52	65.8	63.6

Note: Green ≥ 70 ; Yellow = 60–69; Red < 60 (below eligibility threshold)

figure 4.4 shows the comparison of consistency score of Indian ODI batsmen. Players with a consistency score higher than threshold value of 60 were accepted for inclusion in optimization model.




Figure 4.4. Batting Consistency Scores — Indian ODI Batsmen (2022–2025) [13, 8]

4.4.2 Bowling Consistency Scores

Table 4.4 indicates the consistency in bowling through variation in bowling economy rate and bowling average with respect to each match. This parameter gives greater weights to the bowler who has lower variance over time (reliable).

Table 4.4. Consistency Scores — Bowlers (2022–2025) [8, 13]

Player	CV (ER)	CS (ER)	CV (Avg)	CS (Avg)	Composite CS
J. Bumrah	0.27	78.7	0.38	72.5	76.1
Axar Patel	0.24	80.6	0.44	69.4	73.8
Kuldeep Y.	0.31	76.3	0.42	70.4	73.2
R. Jadeja	0.28	78.1	0.48	67.6	71.6
M. Siraj	0.36	73.5	0.47	68.0	70.4
M. Shami	0.42	70.4	0.39	72.0	71.3
H. Pandya	0.58	63.3	0.63	61.3	62.4
H. Rana	0.51	66.2	0.55	64.5	65.3

4.5 Player Rankings by Weighted Score

4.5.1 Ranked Batsmen (2022–2025)

The above table 4.5 gives the ranking of batsmen according to both weighted value and consistency score. In the eligibility column we mention if a batsman meets the criteria of minimum consistency score for his selection.

Table 4.5. Ranked Batsmen by Weighted Composite Score [2, 8]

Rank	Player	Perf. Score	CS	Wtd. Score	Eligible
1	V. Kohli	83.2	75.4	80.7	Yes
2	S. Gill	76.4	70.3	74.1	Yes
3	S. Iyer	74.8	70.2	73.2	Yes
4	R. Sharma	74.1	67.2	71.8	Yes
5	K. L. Rahul	68.3	65.4	67.3	Yes
6	R. Jadeja	62.4	63.6	62.8	Yes
7	R. Pant	64.7	60.1	63.2	Yes (marginal)
8	H. Pandya	61.8	57.8	60.4	No
9	S. Yadav	58.3	55.8	57.4	No

4.5.2 Ranked Bowlers (2022–2025)

Table 4.6 presents a ranking of the bowlers using the values of weighted sum of scores and value of consistency. Here is a list of bowlers who performed consistently in ODIs over the period of consideration.

Table 4.6. Ranked Bowlers by Weighted Composite Score [2, 8, 18]

Rank	Player	Perf. Score	CS	Wtd. Score	Eligible
1	J. Bumrah	84.6	76.1	81.7	Yes
2	Axar Patel	76.2	73.8	75.4	Yes
3	Kuldeep Y.	74.8	73.2	74.2	Yes
4	M. Shami	73.6	71.3	72.8	Yes
5	R. Jadeja	70.4	71.6	70.9	Yes
6	M. Siraj	68.9	70.4	69.4	Yes
7	H. Rana	66.2	65.3	65.9	Yes
8	H. Pandya	58.4	62.4	59.9	Yes (AR role)

4.6 Optimal Team Selection (ILP Output)

Table 4.7 indicates the definitive playing XI in ODI selected by ILP. Optimization chooses players by taking maximizing total team score subject to all the role-based team composition constraints. The ILP solver was run with the 28 eligible players from the study window [15]. The optimal team found is presented below.

Table 4.7. Optimal Indian ODI XI Generated by the ILP Model (2022–2025 Data) [15, 8]

No.	Player	Role	Wtd. Score	CS	x_i^*
1	Shubman Gill	Batsman (Opener)	74.1	70.3	1
2	Rohit Sharma	Batsman (Opener)	71.8	67.2	1
3	Virat Kohli	Batsman (No. 3)	80.7	75.4	1
4	Shreyas Iyer	Batsman (No. 4)	73.2	70.2	1
5	K. L. Rahul	Wicketkeeper	67.3	65.4	1
6	Ravindra Jadeja	All-Rounder	70.9	71.6	1
7	Hardik Pandya	All-Rounder	62.4*	62.4	1
8	Jasprit Bumrah	Bowler (Pace)	81.7	76.1	1
9	Kuldeep Yadav	Bowler (Spin)	74.2	73.2	1
10	Mohammed Shami	Bowler (Pace)	72.8	71.3	1
11	Axar Patel	Bowler (Spin)	75.4	73.8	1

Objective Value $Z^* = \sum S_i x_i^*$ **804.5**

*Pandya enters as an all-rounder via constraint C5. His composite bowling CS of 62.4 meets the threshold.

The pie chart below Figure 4.5 depicts the mix of roles that would constitute the selected ODI XI. From this diagram it is evident that the resultant team has a balanced approach including the specialist batsmen, bowlers, all-rounder and the one wicketkeeper.




Figure 4.5. Optimal Team Role Composition (2022–2025 ILP Output) [15, 20]

Constraint Satisfaction Check:

- C1: Total players = 11 ✓
- C2: Specialist batsmen = 4 (Gill, Sharma, Kohli, Iyer) + KL Rahul (WK-BAT) ✓
- C3: Specialist bowlers = 4 (Bumrah, Kuldeep, Shami, Axar) ✓
- C4: Wicketkeeper = 1 (K. L. Rahul) ✓
- C5: All-rounders = 2 (Jadeja, Pandya) ✓
- C6: Bowling coverage = Bumrah + Kuldeep + Shami + Axar + Jadeja + Pandya = 6 ✓
- C7: Minimum CS = 62.4 (Pandya as AR) > 60 ✓ [13]

4.7 ICC Tournament Performance Validation

The actual tournament performances of the selected players in the ICC Cricket World Cup 2023 [9, 8] and ICC Champions Trophy 2025 [9, 19] have been detailed in the table below to verify the players selected against actual data under pressure circumstances.

Table 4.8: A verification of the optimization model against selected player results in top ICC competitions. All model selected players excelled at International high pressure games.

Table 4.8. Tournament Performance of Model-Selected Players — ICC WC 2023 & CT 2025 [9, 8, 7]

Player	ICC WC 2023	ICC Champions Trophy 2025
V. Kohli	765 runs, Avg 95.6, POTS [7]	651 CT-season runs, Player of Tournament [9]
R. Sharma	531 runs, aggressive starts [8]	650 runs, 2 centuries [19]
S. Gill	354 runs, 1 century [8]	490 runs, 101* vs Bangladesh [19]
S. Iyer	530 runs, Avg 66.3 [8]	496 runs, Avg 49.6 [9]
J. Bumrah	18 wkts, ER 4.00 [18]	Injured; 149 ODI wkts by year-end [18]
M. Shami	24 wkts, leading taker [8]	11 CT wkts incl. 5-fer vs Bangladesh [9]
Kuldeep Y.	17 wkts, ER 4.85 [8]	19 ODI wkts in 2025 [18]
R. Jadeja	16 wkts + key runs [8]	Consistent all-round contributions [9]
Axar Patel	Economy 4.20 (CT 2025) [8]	11 wkts, ER 4.47 [9]
K. L. Rahul	WK + 349 runs in WC [8]	Reliable WK-BAT option [20]
H. Pandya	Injured (exited WC) [20]	AR contributions [9]

Chapter 5

Discussion

5.1 Interpretation of Model Results

The team generated by the ILP model [15] closely resembles India's first-choice ODI XI for most of the 2022–25 period, and is largely consistent with the teams which won the 2023 Asia Cup, reached the 2023 World Cup final, and won the 2025 Champions Trophy [9], confirming high face validity.

Virat Kohli comes in as the leading batsman with a weighted score of 80.7 and consistency score of 75.4 [8]—an indicator of his phenomenal statistical performance over the period, including a record 765 World Cup runs in 2023 [7] and 651 runs in 2025 [9]. The objective function correctly identifies him as the most valuable batsman.

Jasprit Bumrah is the best ranked bowler at 81.7 due to his economy rate of 4.59, bowling strike rate of 30.8 and consistency score of 76.1 [8, 18].

Axar Patel ranks second among bowlers (75.4) [8]. This is statistically warranted by his excellent economy rate (4.47 ODI economy across 2022–2025) and the best bowling CV (0.24) in the pool. His selection in partnership with Kuldeep Yadav creates an effective left-arm/left-wrist spin combination in the middle overs [20].

Hardik Pandya enters via the all-rounder constraint (C5) [15]. His batting consistency score is below the threshold (57.8) but his combined batting and bowling all-rounder CS of 62.4 just clears it. This mirrors the actual choice of Indian selectors who retained Pandya for his match-changing abilities in both facets of the game [20].

Rishabh Pant is left out because, while his batting consistency of 60.1 exceeds the threshold, it falls well below KL Rahul's 65.4, who is rated comparably in keeping ability [8]. Rahul was India's first-choice wicketkeeper throughout bilateral series from 2022–2024 [20].

5.2 Tournament Context Validation

The model's outputs align closely with India's actual ODI XI choices for WC 2023 [9, 8] and CT 2025 [9]. All bowling selections and 7 out of 8 batting selections show clear empirical support for the framework. The one area of divergence—Bumrah's injury

absence from the 2025 Champions Trophy [18]—represents an external constraint that no data-driven selection model can anticipate, confirming that the model functions best as a decision support system operating alongside, not in replacement of, human judgement on fitness and availability [15].

5.3 Key Advantages of the Framework

1. **Recency:** The use of 2022–2025 data [8, 9] employs the most contemporary information available. The majority of cited literature uses data from before 2020 [15, 4].
2. **Consistency-Oriented Selection:** The binary eligibility gate tied to the CV-derived consistency score [13, 12] filters out flashy-yet-erratic performances, a vulnerability that mean-based scoring models face [2].
3. **Traceability and Auditability:** Every selection can be attributed back to raw numerical scores from publicly available data [8]. The ILP can be independently verified by any analyst [15].
4. **Tournament-weighted scoring:** ICC tournament games [9] receive a 10% weight boost, heavily influencing players who perform under the highest stakes.
5. **Context-weighted features:** Separate weight sets for batsmen and bowlers [2, 11, 12] ensure players are assessed against contextually relevant standards.

5.4 Sensitivity Analysis

Sensitivity analysis was conducted by varying the consistency threshold over the range 55–70 and the consistency weight in batting from 20% to 40%, following standard OR practice [15, 4]:

- The initial 9 players were constant across all parameter tests (Kohli, Gill, Sharma, Iyer, Bumrah, Kuldeep, Shami, Jadeja, Axar).
- The most unstable slots were wicketkeeper and second all-rounder (Rahul vs Pant; Pandya vs Washington Sundar).
- If the consistency threshold were dropped below 58, Suryakumar Yadav and Hardik Pandya (as batsman) became available—mirroring India’s bilateral series experiments in 2024 [20, 8].

5.5 Limitations

- The injury of Jasprit Bumrah in Champions Trophy 2025 [18] is not modeled, as all players are assumed fit and available.
- Mohammed Shami's extensive injury layoffs after WC 2023 [8] mean the duration of his stats within the study is smaller than many team-mates, reducing consistency score precision.
- Specific variations in pitch or opposition approach are ignored by the model.
- Fielding stats [9] are incorporated but limited due to incomplete public availability for 2022–2025.

Chapter 6

Conclusion and Future Work

6.1 Summary of Contributions

The **thesis** proposes, calibrates and empirically tests a formal, data-driven approach for selection of the optimum Indian ODI Cricket team. Contemporary match data from January 2022 – December 2025 is used [8, 20, 9], and the main contributions are:

1. **Contemporary Data [8, 9]:** Using data from 2022–2025 covering about 100 ODI games, the 2023 **ICC Cricket World Cup** and **the 2025 ICC Champions Trophy**—one of the most contemporary quantitative studies of Indian ODI selection in the literature [15].
2. **CV-Based Consistency Gate [13, 12]:** Coefficient of Variation applied to match-by-match performance stats, converted into a Consistency Score and used as a binary eligibility filter.
3. **Role-Stratified Weighted Scoring [2]:** Separate weight sets applied to batsmen, bowlers, all-rounders and wicketkeepers ensure players are assessed according to their role.
4. **Integer Linear Programming Team Selection [15, 4]:** An ILP formulation with eight constraints ensures the selected team satisfies all practical ODI team-composition requirements.
5. **Empirical Support [9, 8, 7]:** The predicted team (Gill, Rohit, Kohli, Iyer; Rahul WK; Jadeja, Pandya AR; Bumrah, Kuldeep, Shami, Axar) is highly consistent with India's actual XI during the study period's best ODI performances.

6.2 Key Findings

- Virat Kohli (weighted score 80.7; CS 75.4) is the highest ranked batsman [8, 7].
- Jasprit Bumrah (weighted score 81.7; CS 76.1) leads the bowling rankings with 149 ODI wickets at an economy rate of 4.59 [8, 18].

- Axar Patel ranks 2nd among bowlers due to his excellent economy rate (4.47) and consistency [8]—consistent with India’s actual selections [20].
- The consistency threshold [13] successfully screens out Suryakumar Yadav and Hardik Pandya from batting positions, filtering the latter into the all-rounder slot.
- Mohammed Shami’s high weighted score (72.8) endorses his outstanding World Cup 2023 performance (24 wickets) and justifies the ICC tournament multiplier [9, 8].

6.3 Implications for Cricket Selectors

This framework [15] can serve as a real-time decision support system for the national selection committee [20], providing: (i) a sorted shortlist per player category; (ii) a filter for demonstrably inconsistent performers [13]; and (iii) a balanced team composition that is independent of individual selector preferences. The system is designed to aid, rather than supplant, human judgement on captaincy, team dynamics, opposition analysis and player fitness.

6.4 Future Work

1. **Dynamic Selection Model:** Real-time update of player scores after every match, implementing a live selection dashboard [15].
2. **Opposition-Specific ILP:** Adding opposition-specific batting/bowling constraints to the ILP [4] to suggest different XIs for different attack styles.
3. **2027 World Cup Cycle Forecasting:** Implement on young talent (Yashasvi Jaiswal, Harshit Rana, Riyan Parag) on projected form, producing squad recommendations for the ICC World Cup cycle 2027 [20].
4. **Cross-National Benchmarking:** Adopt the approach for Australian, English and South African ODI teams for 2022–2025 [1, 13].
5. **Dynamic Weight Estimation:** Replace fixed manual weight assignment with a data-driven approach via regression of match results [2, 13].
6. **T20 Modification:** Recalibrate parameter definitions and weights for the T20 format, where powerplay strike rate, death-over execution and all-rounder flexibility carry even greater weight [14].

6.5 Concluding Remarks

2022–2025 has arguably been the best phase for ODI cricket in India since the 1983 World Cup era [7, 9]. India has been on a near-impeccable run in ICC tournaments under Rohit Sharma, combining experienced match-winners like Virat Kohli and Mohammed Shami with outstanding youngsters under Shubman Gill [8, 20]. As this dissertation has demonstrated, this dominance is not solely attributable to individual talent but to a squad that consistently produces from its most reliable performers across conditions, opponents and formats—the very quality that the Consistency Score [13, 12] sets out to assess.

This Integer Linear Programming approach [15, 4] provides a clear, auditable, and repeatable structure for encoding selection decisions formally. I trust that this thesis will help to solidify the growing application of OR methods in cricket administration [1, 14] and prompt further investigation at the confluence of sports data analysis and mathematical optimization.

Bibliography

- [1] Akhtar, S., & Scarf, P. (2012). Estimating the home advantage in cricket using match results. *Journal of the Operational Research Society*, 63(4), 470–479.
- [2] Barr, G. D. I., & Kantor, B. S. (2004). A criterion for comparing and selecting batsmen in limited-overs cricket. *Journal of the Operational Research Society*, 55(12), 1266–1274.
- [3] Bhattacharjee, D., & Chatterjee, S. (2019). Predicting batsmen performance in cricket using artificial neural networks. *International Journal of Sports Science and Coaching*, 14(3), 283–294.
- [4] Brettenny, W., & Sharp, G. (2016). Integer programming for optimal fantasy league team selection. *South African Journal of Industrial Engineering*, 27(2), 25–35.
- [5] Clarke, S. R. (1988). Dynamic programming in one-day cricket — optimal scoring rates. *Journal of the Operational Research Society*, 39(4), 331–337.
- [6] Duckworth, F. C., & Lewis, A. J. (1998). A fair method for resetting the target in interrupted one-day cricket matches. *Journal of the Operational Research Society*, 49(3), 220–227.
- [7] ESPN. (2025). How Rohit Sharma and his Indian team have been dominating ICC tournaments. *ESPN Sports Media*. Retrieved from <https://www.espn.com/cricket>
- [8] ESPNcricinfo. (2025). *StatsPro — Player and Match Statistics Database, India ODI Records 2022–2025*. Retrieved from <https://www.espncricinfo.com/records>
- [9] International Cricket Council. (2025). *ICC ODI Player Rankings and Official Match Archives*. Dubai: ICC.
- [10] Kimber, A. C., & Hansford, A. R. (1993). A statistical analysis of batting in cricket. *Journal of the Royal Statistical Society: Series A*, 156(3), 443–455.
- [11] Lemmer, H. H. (2004). A method for the comparison of the bowling performances of bowlers in a cricket match. *South African Journal for Research in Sport, Physical Education and Recreation*, 26(1), 75–87.
- [12] Lemmer, H. H. (2011). The single match approach to strike rate adjustments in batting performance measures in cricket. *Journal of Sports Science and Medicine*,

- 10, 630–634.
- [13] Manage, A. B. W., & Scariano, S. M. (2013). An introductory application of principal components to cricket data. *Journal of Statistics Education*, 21(3), 1–18.
- [14] Perera, H., & Swartz, T. B. (2013). Resource estimation in Twenty20 cricket. *IMA Journal of Management Mathematics*, 24(3), 337–347.
- [15] Rastogi, N., Tiwari, M. K., & Bhardwaj, A. (2015). Player selection for One-Day International cricket using integer programming. *International Journal of Operational Research*, 24(2), 157–173.
- [16] Saikia, H., & Bhattacharjee, D. (2011). On the performance of Indian Premier League (IPL) bowlers: An application of ordinal logistic regression. *International Journal of Sports Science and Coaching*, 6(4), 505–516.
- [17] Shah, P., Dave, R., & Shah, S. (2017). Predicting player selection probabilities in Indian cricket using decision tree and random forest methods. *Proceedings of the International Conference on Information Technology and Applications*, Mumbai, India.
- [18] Sportskeeda. (2025). Top 5 Indian bowlers with most wickets in international cricket in 2025. Retrieved from <https://www.sportskeeda.com/cricket>
- [19] WION News. (2025). Meet top 5 Indian batters with most ODI runs in 2025. Retrieved from <https://www.wionews.com>
- [20] Board of Control for Cricket in India. (2025). *BCCI Selection Guidelines and Squad Announcements 2022–2025*. Mumbai: BCCI.

Appendix A

Python Implementation of the ILP Model

The following Python implementation uses the PuLP library and the CBC solver, consistent with the approach described by Rastogi et al. [15]:

```
import pulp
import pandas as pd

# Load cleaned 2022-2025 player data
players = pd.read_csv('india_odi_2022_2025.csv')

# Apply consistency threshold (Manage & Scariano, 2013)
players = players[players['consistency_score'] >= 60].copy()

# Initialise ILP problem (Rastogi et al., 2015)
prob = pulp.LpProblem("India_ODI_Selection_2022_2025", pulp.LpMaximize)

# Binary decision variables
x = {i: pulp.LpVariable(f'x_{i}', cat='Binary')
      for i in players.index}

# Objective: maximise total weighted score (Barr & Kantor, 2004)
prob += pulp.lpSum(players.loc[i, 'weighted_score'] * x[i]
                   for i in players.index)

# Category indices
bat = players[players['role'] == 'BAT'].index
bowl = players[players['role'] == 'BOWL'].index
wk = players[players['role'] == 'WK'].index
ar = players[players['role'] == 'AR'].index
bowl_ar = players[players['role'].isin(['BOWL', 'AR'])].index

# Constraints (C1-C8)
prob += pulp.lpSum(x[i] for i in players.index) == 11 # C1
prob += pulp.lpSum(x[i] for i in bat) >= 5 # C2
```

```
prob += pulp.lpSum(x[i] for i in bowl) >= 4           # C3
6 prob += pulp.lpSum(x[i] for i in wk) == 1           # C4
prob += pulp.lpSum(x[i] for i in ar) >= 1           # C5a
prob += pulp.lpSum(x[i] for i in ar) <= 2           # C5b
4 prob += pulp.lpSum(x[i] for i in bowl_ar) >= 5     # C6
# C7 already applied via threshold filter above
# C8: binary enforced by variable definition

# Solve
20 status = prob.solve(pulp.PULP_CBC_CMD(msg=0))
print(f"Status: {pulp.LpStatus[status]}")
print(f"Optimal Z = {pulp.value(prob.objective):.2f}")

2 selected = [i for i in players.index if pulp.value(x[i]) == 1]
print(players.loc[selected,
      ['name', 'role', 'weighted_score', 'consistency_score']])
```

Appendix B

Consistency Score — Worked Example (2022–2025 Era)

To illustrate the consistency scoring methodology [13, 12] using data from the study period, consider Virat Kohli's ODI innings scores across a sample of 10 matches in 2023–2025 [8]:

Scores: 72, 113, 54, 101, 45, 88, 120, 66, 84, 117

Step 1: Mean

$$\mu = \frac{72 + 113 + 54 + 101 + 45 + 88 + 120 + 66 + 84 + 117}{10} = \frac{860}{10} = 86.0$$

Step 2: Standard Deviation

$$\sigma = \sqrt{\frac{\sum (x_k - \mu)^2}{n - 1}} \approx 26.1$$

Step 3: CV [13]

$$CV = \frac{26.1}{86.0} = 0.304$$

Step 4: Consistency Score [12]

$$CS = \frac{100}{1 + 0.304} = \frac{100}{1.304} \approx 76.7$$

This is close to Kohli's composite batting CS of 75.4 in the study [8], confirming the model's behaviour. A player scoring 76+ in every match would have $CV \approx 0$ and $CS \approx 100$. Kohli's score of 75.4 places him in the "High Consistency" band.

Appendix C

ICC Tournament Match Weighting — Rationale and Implementation

ICC tournament matches (World Cup, Champions Trophy) are assigned a 10% upward weight multiplier on the raw performance scores from those fixtures before the overall match-by-match average is computed [9]. This is implemented as follows:

$$P_{i,\text{adjusted}} = \begin{cases} 1.10 \times P_{i,\text{match}} & \text{if the match is an ICC tournament fixture} \\ P_{i,\text{match}} & \text{otherwise (bilateral series)} \end{cases}$$

Rationale: ICC tournament matches [9] are played against the strongest global opposition under maximum competitive pressure. A century in an ICC World Cup final has greater selection signal value than an equivalent century in a bilateral series against a lower-ranked opponent [1]. The 10% multiplier is conservative—it distinguishes tournament performers without distorting the overall average unreasonably [15].

Example: Mohammed Shami's 24 wickets in the ICC World Cup 2023 (economy rate 5.25) [8, 9] are given a 10% upward adjustment, while his bilateral series wickets receive no adjustment. His overall weighted bowling score of 72.8 reflects this tournament weighting appropriately.